

The copyright © of this thesis belongs to its rightful author and/or other copyright owner. Copies can be accessed and downloaded for non-commercial or learning purposes without any charge and permission. The thesis cannot be reproduced or quoted as a whole without the permission from its rightful owner. No alteration or changes in format is allowed without permission from its rightful owner.



**IMPACT OF MANUFACTURING FLEXIBILITY ON  
MANUFACTURING PERFORMANCE AND BUSINESS  
PERFORMANCE AMONG MALAYSIAN  
MANUFACTURING FIRMS**



**TAN KONG WOUN**

**UUM**  
**Universiti Utara Malaysia**

**DOCTOR OF PHILOSOPHY  
UNIVERSITI UTARA MALAYSIA  
October 2016**

**IMPACT OF MANUFACTURING FLEXIBILITY ON MANUFACTURING  
PERFORMANCE AND BUSINESS PERFORMANCE AMONG MALAYSIAN  
MANUFACTURING FIRMS**



**By  
TAN KONG WOUN**

**UUM**  
**Universiti Utara Malaysia**

**Thesis Submitted to  
School of Technology Management and Logistics,  
Universiti Utara Malaysia,  
in Fulfillment of the Requirement for the Degree of Doctor of Philosophy**



**Kolej Perniagaan**  
(College of Business)  
**Universiti Utara Malaysia**

**PERAKUAN KERJA TESIS / DISERTASI**  
(Certification of thesis / dissertation)

Kami, yang bertandatangan, memperakukan bahawa  
(We, the undersigned, certify that)

**TAN KONG WOUN**

calon untuk Ijazah  
(candidate for the degree of)

**DOCTOR OF PHILOSOPHY**

telah mengemukakan tesis / disertasi yang bertajuk:  
(has presented his/her thesis / dissertation of the following title):

**IMPACT OF MANUFACTURING FLEXIBILITY ON MANUFACTURING PERFORMANCE AND BUSINESS  
PERFORMANCE AMONG MALAYSIAN MANUFACTURING FIRMS**

seperti yang tercatat di muka surat tajuk dan kulit tesis / disertasi.  
(as it appears on the title page and front cover of the thesis / dissertation).

Bahawa tesis/disertasi tersebut boleh diterima dari segi bentuk serta kandungan dan meliputi bidang ilmu dengan memuaskan, sebagaimana yang ditunjukkan oleh calon dalam ujian lisan yang diadakan pada:  
**16 Oktober 2016.**

(That the said thesis/dissertation is acceptable in form and content and displays a satisfactory knowledge of the field of study as demonstrated by the candidate through an oral examination held on:  
**16 October 2016.**

Pengerusi Viva : Assoc. Prof. Dr. Nor Hasni Osman  
(Chairman for Viva)

Tandatangan  
(Signature)

Pemeriksa Luar : Assoc. Prof. Dr. Eta Wahab  
(External Examiner)

Tandatangan  
(Signature)

Pemeriksa Dalam : Dr. Norsiah Hami  
(Internal Examiner)

Tandatangan  
(Signature)

Tarikh: **16 Oktober 2016**  
(Date)

Nama Pelajar  
(Name of Student) : Tan Kong Woun

Tajuk Tesis / Disertasi  
(Title of the Thesis / Dissertation) : **IMPACT OF MANUFACTURING FLEXIBILITY ON  
MANUFACTURING PERFORMANCE AND BUSINESS  
PERFORMANCE AMONG MALAYSIAN MANUFACTURING FIRMS**


Program Pengajian  
(Programme of Study) : Doctor of Philosophy

Nama Penyelia/Penyelia-penyelia  
(Name of Supervisor/Supervisors) : Assoc. Prof. Dr. Lim Kong Teong



Tandatangan

Nama Penyelia/Penyelia-penyelia  
(Name of Supervisor/Supervisors) : Assoc. Prof. Dr. Siti Norezam Othman



Tandatangan

## PERMISSION TO USE

In presenting this thesis in fulfillment of the requirements for a Post Graduate degree from the Universiti Utara Malaysia (UUM), I agree that the Library of this university may make it freely available for inspection. I further agree that permission for copying this thesis in any manner, in whole or in part, for scholarly purposes may be granted by my supervisor(s) or in their absence, by the Dean of School of Technology Management and Logistics where I did my thesis. It is understood that any copying or publication or use of this thesis or parts of it for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to the UUM in any scholarly use which may be made of any material in my thesis.

Request for permission to copy or to make other use of materials in this thesis in whole or in part should be addressed to:



## ABSTRAK

Sorotan kepustakaan terdahulu menunjukkan terdapatnya penjelasan yang kabur mengenai hubungan di antara keluwesan pembuatan, prestasi pembuatan dan prestasi perniagaan. Bagi memenuhi jurang ini, kajian tentang impak keluwesan pembuatan terhadap prestasi pembuatan dan prestasi perniagaan telah dijalankan. Dalam kajian ini, pengkaji telah mencadangkan satu kerangka kerja pengantara apabila prestasi pembuatan berfungsi sebagai pengantara dalam hubungan di antara keluwesan pembuatan dan prestasi perniagaan. Komponen keluwesan pembuatan meliputi keluwesan campuran, keluwesan produk baru, keluwesan pekerja, keluwesan mesin, keluwesan pengendalian bahan, keluwesan penyaluran, dan keluwesan volum. Ukuran bagi prestasi pembuatan meliputi kualiti produk, pengurangan kos, produktiviti, pengurangan tempoh masa pembuatan dan pengurangan inventori. Sementara itu, prestasi perniagaan diukur oleh prestasi pasaran bagi produk, kepuasan pelanggan dan keberuntungan. Empat hipotesis utama telah dibentuk untuk menguji perhubungan di antara keluwesan pembuatan, prestasi pembuatan dan prestasi perniagaan. Kajian ini bersifat keratan rentas yang menggunakan metodologi tinjauan dan dijalankan ke atas lima industri perkilangan di Malaysia. Data diperolehi daripada 137 borang soal selidik yang dikembalikan dan telah dianalisis menggunakan analisis korelasi dan regresi. Keputusan analisis korelasi Pearson menunjukkan korelasi yang positif dan tinggi wujud dalam kalangan komponen keluwesan pembuatan. Di samping itu, dicadangkan bahawa komponen keluwesan pembuatan adalah saling bergantung. Analisis regresi pula menyokong dapatan kajian bahawa keluwesan pembuatan mempunyai impak positif yang signifikan terhadap kedua-dua prestasi pembuatan dan prestasi perniagaan. Selain itu, kepentingan prestasi pembuatan sebagai pengantara dalam perhubungan keluwesan pembuatan dengan prestasi perniagaan juga ditemui. Oleh itu, keluwesan pembuatan meningkatkan prestasi perniagaan secara langsung dan tidak langsung menerusi prestasi pembuatan sebagai pemboleh ubah pengantara. Secara spesifiknya, keempat-empat hipotesis utama yang diuji dalam kajian ini disokong. Kesimpulannya, kajian empirikal ini menyumbang dalam peningkatan pengetahuan dan kefahaman berkenaan saling perhubungan di antara keluwesan pembuatan, prestasi pembuatan dan prestasi perniagaan. Justeru, kajian ini membolehkan pihak penyelidik dan pengamal memperoleh pengetahuan yang lebih mendalam tentang konsep keluwesan pembuatan dan impaknya.

**Kata kunci:** keluwesan pembuatan, prestasi pembuatan, prestasi perniagaan, Malaysia



## ABSTRACT

The unclear relationships between manufacturing flexibility, manufacturing performance and business performance have been indicated in past literature. To seal the gap, this study aimed to investigate the impact of manufacturing flexibility on manufacturing performance and business performance. In this study, the researcher proposed a mediating framework where manufacturing performance serves as a mediator in the relationship between manufacturing flexibility and business performance. The components of manufacturing flexibility were mix flexibility, new product flexibility, labor flexibility, machine flexibility, material handling flexibility, routing flexibility and volume flexibility. The measures for manufacturing performance were product quality, cost reduction, lead time reduction, productivity and inventory minimization. Product market performance, customer satisfaction and profitability were used as the measures for business performance. Four main hypotheses were developed to test the interrelationships between manufacturing flexibility, manufacturing performance and business performance. The study was a cross-sectional study, employing the survey methodology, conducted in five manufacturing industries in Malaysia. The data obtained from 137 returned questionnaires were analysed using correlational and regression analyses. Results of the correlation analyses indicated that components of manufacturing flexibility were positively and highly correlated among themselves, thus suggesting that the components were interdependent. Meanwhile, findings of the regression analyses provided support that manufacturing flexibility has significant positive impacts on both manufacturing performance and business performance. In addition, the mediation role of manufacturing performance on the relationship between manufacturing flexibility and business performance was revealed. In other words, manufacturing flexibility improves business performance both directly and indirectly via manufacturing performance as the mediator. Specifically, all four main hypotheses tested in this study were supported. In conclusion, this empirical study provides insights about the interrelationships between manufacturing flexibility, manufacturing performance and business performance. Hence, this study allows researchers and practitioners to gain in-depth knowledge about the concept of manufacturing flexibility and its impacts.

**Keywords:** manufacturing flexibility, manufacturing performance, business performance, Malaysia



## ACKNOWLEDGMENT

First of all, I would like to express my sincere gratitude to both of my advisors (Associate Professor Dr. Lim Kong Teong and Associate Professor Dr. Siti Norezam Othman) for theirs' patience and motivation throughout the research and thesis writing process. Their immense knowledge in doctoral study and guidance they provided have helped me in all the time of research and writing of this thesis. I could not have imagined having better advisors and mentors for my doctoral study.

I would also like to thank Dr. Santhirasegaran a/l S. R. Nadarajan and Dr. Norsiah binti Hami for their constructive critics during my proposal defence. Their inputs are valuable and provide tremendous helps on how to improve my thesis.

Othman Yeop Abdullah Graduate School of Business, School of Technology Management and Logistics, Universiti Utara Malaysia and their staffs are also in my "thank you list" as they provide the facilities and resources during the entire process of my postgraduate research. Their professionalism and supports provided have touched my heart. On the other hand, this research would have been impossible without the support of the postgraduate research incentive provided by Universiti Utara Malaysia, another thank you for them.

Last but not least, I would like to thank my parents, my wife and friends who have helped me a lot in finalizing this thesis within the limited time frame and for supporting me spiritually throughout the whole doctoral study processes. Before I end the acknowledgement, I would also like to dedicate my appreciations to any individuals and organizations that cannot be listed one by one here for their essential involvement in this study.

.

## TABLE OF CONTENTS

|                                                       |             |
|-------------------------------------------------------|-------------|
| <b>TITLE PAGE</b>                                     | <b>I</b>    |
| <b>CERTIFICATION OF THESIS WORK</b>                   | <b>II</b>   |
| <b>PERMISSION TO USE</b>                              | <b>IV</b>   |
| <b>ABSTRAK</b>                                        | <b>V</b>    |
| <b>ABSTRACT</b>                                       | <b>VI</b>   |
| <b>ACKNOWLEDGMENT</b>                                 | <b>VII</b>  |
| <b>TABLE OF CONTENTS</b>                              | <b>VIII</b> |
| <b>LIST OF TABLES</b>                                 | <b>XII</b>  |
| <b>LIST OF FIGURES</b>                                | <b>XIV</b>  |
| <b>LIST OF ABBREVIATIONS</b>                          | <b>XV</b>   |
| <br>                                                  |             |
| <b>CHAPTER 1 INTRODUCTION</b>                         | <b>1</b>    |
| 1.1 Background of the Research                        | 1           |
| 1.2 Manufacturing in Malaysia                         | 3           |
| 1.3 Problem Statement                                 | 6           |
| 1.4 Research Questions                                | 10          |
| 1.5 Research Objectives                               | 11          |
| 1.6 Significance of the Research                      | 11          |
| 1.7 Scope of the Research                             | 13          |
| 1.8 Definitions of Key Terms                          | 13          |
| 1.9 Organization of Research Report                   | 17          |
| <br>                                                  |             |
| <b>CHAPTER 2 LITERATURE REVIEW</b>                    | <b>18</b>   |
| 2.1 Introduction                                      | 18          |
| 2.1.1 Definition of Flexibility                       | 19          |
| 2.1.2 Benefit of Flexibility                          | 22          |
| 2.2 Manufacturing Flexibility                         | 24          |
| 2.2.1 Definition of Manufacturing Flexibility         | 24          |
| 2.2.2 Past Research on Manufacturing Flexibility      | 29          |
| 2.2.3 Flexibility Components and Types of Uncertainty | 52          |
| 2.2.4 Components of Manufacturing Flexibility         | 53          |
| 2.2.4.1 Mix Flexibility                               | 61          |
| 2.2.4.2 New Product Flexibility                       | 63          |
| 2.2.4.3 Labor Flexibility                             | 65          |
| 2.2.4.4 Machine Flexibility                           | 67          |
| 2.2.4.5 Material Handling Flexibility                 | 69          |
| 2.2.4.6 Routing Flexibility                           | 71          |
| 2.2.4.7 Volume Flexibility                            | 73          |
| 2.3 Firm Performance                                  | 75          |
| 2.3.1 Manufacturing Performance                       | 77          |
| 2.3.2 Business Performance                            | 81          |

|     |                                                                                                             |     |
|-----|-------------------------------------------------------------------------------------------------------------|-----|
| 2.4 | The Impact of Manufacturing Flexibility on Manufacturing Performance                                        | 87  |
| 2.5 | The Impact of Manufacturing Flexibility on Business Performance                                             | 90  |
| 2.6 | The Relationship between the Manufacturing Performance and Business Performance                             | 95  |
| 2.7 | The Interrelationship between Manufacturing Flexibility, Manufacturing Performance and Business Performance | 100 |
| 2.8 | Summary                                                                                                     | 109 |

### **CHAPTER 3 UNDERPINNING THEORIES, RESEARCH FRAMEWORK AND METHODOLOGY 110**

|         |                                                   |     |
|---------|---------------------------------------------------|-----|
| 3.1     | Introduction                                      | 110 |
| 3.2     | The Underpinning Theories of the Study            | 110 |
| 3.3     | Theoretical Framework and Hypotheses              | 121 |
| 3.4     | Research Design                                   | 126 |
| 3.4.1   | Population                                        | 127 |
| 3.4.2   | Sampling Design                                   | 131 |
| 3.4.3   | Method of Data Collection                         | 132 |
| 3.4.4   | Operational Definition and Measurement Instrument | 133 |
| 3.4.4.1 | Manufacturing Flexibility                         | 134 |
| 3.4.4.2 | Manufacturing Performance                         | 140 |
| 3.4.4.3 | Business Performance                              | 144 |
| 3.4.5   | Pre-Test of Questionnaire                         | 147 |
| 3.5     | Techniques of Data Analysis                       | 148 |
| 3.5.1   | Descriptive Analysis                              | 148 |
| 3.5.2   | Pearson Correlation Analysis                      | 148 |
| 3.5.3   | Regression Analysis                               | 149 |
| 3.5.4   | Mediation Test                                    | 151 |
| 3.6     | Summary                                           | 152 |

### **CHAPTER 4 RESEARCH FINDINGS 153**

|       |                                                                                                  |     |
|-------|--------------------------------------------------------------------------------------------------|-----|
| 4.1   | Introduction                                                                                     | 153 |
| 4.2   | Data Description                                                                                 | 153 |
| 4.3   | Data Screening                                                                                   | 154 |
| 4.3.1 | Univariate Outlier                                                                               | 154 |
| 4.3.2 | Bivariate Outlier                                                                                | 156 |
| 4.3.3 | Multivariate Outlier                                                                             | 158 |
| 4.4   | Respondent Profile                                                                               | 161 |
| 4.5   | Construct Validity and Reliability                                                               | 164 |
| 4.6   | Descriptive Statistics of Variables                                                              | 170 |
| 4.7   | Normality and Linearity Test                                                                     | 172 |
| 4.7.1 | Normality Test                                                                                   | 172 |
| 4.7.2 | Test of Linearity                                                                                | 175 |
| 4.8   | Associations between the Variables: Pearson Correlation Analysis                                 | 175 |
| 4.8.1 | Associations among Manufacturing Flexibility Components                                          | 176 |
| 4.8.2 | Associations between Manufacturing Flexibility Components and Manufacturing Performance Measures | 177 |
| 4.8.3 | Associations between Manufacturing Flexibility Components and Business Performance Measures      | 178 |

|                   |                                                                                                                                                                    |            |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 4.8.4             | Associations among Manufacturing Performance Measures                                                                                                              | 179        |
| 4.8.5             | Associations between Manufacturing Performance Measures and Business Performance Measures                                                                          | 180        |
| 4.8.6             | Associations among Business Performance Measures                                                                                                                   | 181        |
| 4.9               | The Relationships between Manufacturing Flexibility Components, Manufacturing Performance Measures and Business Performance Measures: Multiple Regression Analysis | 182        |
| 4.9.1             | The Relationship between Manufacturing Flexibility Components and Manufacturing Performance Measures: Regression Model 1                                           | 183        |
| 4.9.2             | The Relationship between Manufacturing Flexibility Components and Business Performance Measures: Regression Model 2                                                | 186        |
| 4.9.3             | The Relationship between Manufacturing Performance Measures and Business Performance Measures: Regression Model 3                                                  | 188        |
| 4.10              | Mitigating the Effects of Multicollinearity among Independent Variables: Principal Component Analysis and Simple Regression Analysis                               | 190        |
| 4.10.1            | The Relationship between Manufacturing Flexibility Components and Manufacturing Performance Measures: Simple Regression Analysis                                   | 196        |
| 4.10.2            | The Relationship between Manufacturing Flexibility Components and Business Performance Measures: Simple Regression Analysis                                        | 199        |
| 4.10.3            | The Relationship between Manufacturing Performance Measures and Business Performance Measures: Simple Regression Analysis                                          | 200        |
| 4.11              | The Relationship between Manufacturing Flexibility and Business Performance: Mediation Role of Manufacturing Performance                                           | 202        |
| 4.12              | Summary                                                                                                                                                            | 210        |
| <b>CHAPTER 5</b>  | <b>DISCUSSION AND CONCLUSION</b>                                                                                                                                   | <b>211</b> |
| 5.1               | Introduction                                                                                                                                                       | 211        |
| 5.2               | Review of Research Findings                                                                                                                                        | 212        |
| 5.3               | Discussion of the Results                                                                                                                                          | 220        |
| 5.3.1             | The Relationship between Manufacturing Flexibility Components and Manufacturing Performance                                                                        | 223        |
| 5.3.2             | The Relationship between Manufacturing Flexibility Components and Business Performance                                                                             | 224        |
| 5.3.3             | The Relationship between Manufacturing Performance and Business Performance                                                                                        | 225        |
| 5.3.4             | The Mediation Role of Manufacturing Performance                                                                                                                    | 226        |
| 5.4               | Implication of the Study                                                                                                                                           | 227        |
| 5.4.1             | Theoretical Implication                                                                                                                                            | 227        |
| 5.4.2             | Practical Implication                                                                                                                                              | 232        |
| 5.4.3             | Methodological Implication                                                                                                                                         | 236        |
| 5.5               | Limitation of the Study and Suggestion for Future Research                                                                                                         | 237        |
| 5.6               | Conclusion                                                                                                                                                         | 241        |
| <b>REFERENCES</b> |                                                                                                                                                                    | <b>242</b> |

|                                                                                                   |            |
|---------------------------------------------------------------------------------------------------|------------|
| <b>APPENDICES</b>                                                                                 | <b>268</b> |
| Appendix A: Examples of Flexibility Components Focus by Past Researchers                          | 268        |
| Appendix B: Definitions of Manufacturing Flexibility's Components for Past Study                  | 271        |
| Appendix C: Measurement Items                                                                     | 275        |
| Appendix D: Letter for Data Collection and Research Work                                          | 281        |
| Appendix E: Survey Questionnaire                                                                  | 282        |
| Appendix F: Normal Probability Plots                                                              | 290        |
| Appendix G: Regression Analysis Manufacturing Flexibility Components on Manufacturing Performance | 298        |
| Appendix H: Regression Analysis Manufacturing Flexibility Components on Business Performance      | 302        |
| Appendix I: Regression Analysis Manufacturing Performance Indicators on Business Performance      | 305        |
| Appendix J: Multicollinearity Diagnostics Results                                                 | 308        |
| Appendix K: Results of Principal Components Analysis                                              | 309        |
| Appendix L: Standardized Residual Scatterplots                                                    | 312        |
| Appendix M: Regression Analysis for Mediation Test                                                | 315        |
| Appendix N: PROCESS Results with Standardized Beta Weight                                         | 317        |



## LIST OF TABLES

|                                                                                                                                                    |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Table 2.1 Definitions of Flexibility                                                                                                               | 21  |
| Table 2.2 Definitions of Manufacturing Flexibility                                                                                                 | 26  |
| Table 2.3 Flexibility Tackling What Uncertainty?                                                                                                   | 52  |
| Table 2.4 Dimensions of Manufacturing Flexibility Explored in Various Empirical Researches Sorted Descending Based on Popularity in the Past Study | 55  |
| Table 2.5 Dimensions of Manufacturing Flexibility Defined in Various Conceptual Researches Sorted Descending Based on Popularity in the Past Study | 56  |
| Table 2.6 Definition of Manufacturing Flexibility's Components for This Study                                                                      | 58  |
| Table 2.7 Comparison between Current Research and Rogers et al. (2011) – Manufacturing Flexibility Components                                      | 59  |
| Table 2.8 Measures of Manufacturing Performance in Past Manufacturing Flexibility Related Studies                                                  | 78  |
| Table 2.9 Measures of Business Performance in Past Manufacturing Flexibility Studies                                                               | 81  |
| Table 2.10 Past Researches of Manufacturing Flexibility on Manufacturing Performance                                                               | 88  |
| Table 2.11 Past Researches on Manufacturing Flexibility that Shown Positive and Significant Effects on Business Performance                        | 91  |
| Table 2.12 Correlations between Manufacturing Performance Measures and Business Performance Measures Used in Past Research                         | 96  |
| Table 2.13 Impact of Manufacturing Performance on Business Performance                                                                             | 99  |
| Table 2.14 Relationships among the Manufacturing Flexibility Components from the Past Study                                                        | 103 |
| Table 2.15 Summary of Past Study on Impact of Manufacturing Flexibility on Manufacturing Performance or Business Performance                       | 106 |
| Table 3.1 Industry Categories Used in Past Research                                                                                                | 128 |
| Table 3.2 Detail Composition of Sampling Frame                                                                                                     | 129 |
| Table 3.3 Pre-Test Comments and Resolutions                                                                                                        | 147 |
| Table 4.1 Summary of Univariate Outliers (n = 143)                                                                                                 | 155 |
| Table 4.2 Summary of Bivariate Outliers (n = 143)                                                                                                  | 157 |
| Table 4.3 Summary of Multivariate Outliers (n = 143)                                                                                               | 159 |
| Table 4.4 Results of Univariate, Bivariate and Multivariate Outlier Identification                                                                 | 160 |
| Table 4.5 Distribution of Population and Sample                                                                                                    | 161 |
| Table 4.6 Firm's Background Information                                                                                                            | 162 |
| Table 4.7 Respondents' Background Information                                                                                                      | 163 |
| Table 4.8 Statistical Summary of Factor Analysis for Manufacturing Flexibility Components                                                          | 167 |
| Table 4.9 Statistical Summary of Factor Analysis for Firm's Performance Measures                                                                   | 168 |
| Table 4.10 Statistical Summary of Reliability Analysis                                                                                             | 170 |
| Table 4.11 Descriptive Statistics of the Variables                                                                                                 | 171 |

|                                                                                                                                                                        |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Table 4.12 Univariate and Multivariate Normality: Skewness and Kurtosis Statistics (n = 137)                                                                           | 174 |
| Table 4.13 Correlation among Manufacturing Flexibility Components                                                                                                      | 177 |
| Table 4.14 Correlation between Manufacturing Flexibility Components and Manufacturing Performance Measures                                                             | 178 |
| Table 4.15 Correlation between Manufacturing Flexibility Components and Business Performance Measures                                                                  | 179 |
| Table 4.16 Correlation among Manufacturing Performance Measures                                                                                                        | 180 |
| Table 4.17 Correlation between Manufacturing Performance Measures and Business Performance Measures                                                                    | 181 |
| Table 4.18 Correlation among Business Performance Measures                                                                                                             | 181 |
| Table 4.19 Results of Multiple Regression Analysis between Manufacturing Flexibility Components and Manufacturing Performance Measures                                 | 184 |
| Table 4.20 Results of Multiple Regression Analysis between Manufacturing Flexibility Components and Business Performance Measures                                      | 187 |
| Table 4.21 Results of Multiple Regression Analysis between Manufacturing Performance Measures and Business Performance Measures                                        | 189 |
| Table 4.22 Tolerance and VIF Values for Manufacturing Flexibility Components and Manufacturing Performance Measures                                                    | 194 |
| Table 4.23 Results of Simple Regression Analysis between the First Principal Component Score of Manufacturing Flexibility and Manufacturing Performance Measures       | 198 |
| Table 4.24 Results of Simple Regression Analysis between the First Principal Component Score of Manufacturing Flexibility Components and Business Performance Measures | 200 |
| Table 4.25 Results of Simple Regression Analysis between the First Principal Component Score of Manufacturing Performance and Business Performance Measures            | 202 |
| Table 4.26 Unidimensionality Analysis for Manufacturing Flexibility, Manufacturing Performance and Business Performance                                                | 204 |
| Table 4.27 Results of Mediation Test                                                                                                                                   | 207 |
| Table 4.28 Effects between Manufacturing Flexibility, Manufacturing Performance and Business Performance                                                               | 208 |
| Table 5.1 Summary of Hypothesis Testing for the Relationship between Manufacturing Flexibility Components and Manufacturing Performance Measures                       | 216 |
| Table 5.2 Summary of Hypothesis Testing for the Relationship between Manufacturing Flexibility Components and Business Performance Measures                            | 217 |
| Table 5.3 Summary of Hypothesis Testing for the Relationship between Manufacturing Performance Measures and Business Performance Measures                              | 218 |



## LIST OF FIGURES

|                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------|-----|
| Figure 2.1 The Goods–Service Continuum                                                                               | 86  |
| Figure 2.2 Interrelationship between Manufacturing Flexibility, Manufacturing Performance and Business Performance   | 102 |
| Figure 2.3 Correlations between Manufacturing Flexibility                                                            | 105 |
| Figure 3.1 Research Framework for the Relationships between Manufacturing Flexibility and Organizational Performance | 122 |
| Figure 4.1 Analysis Process of Mediation Test                                                                        | 206 |



## **LIST OF ABBREVIATIONS**

|     |                              |
|-----|------------------------------|
| BP  | Business Performance         |
| CMV | Common Method Variance       |
| GDP | Gross Domestic Product       |
| KMO | Kaiser-Meyer-Olkin Measure   |
| MF  | Manufacturing Flexibility    |
| MP  | Manufacturing Performance    |
| PCA | Principal Component Analysis |
| RBV | Resource-based View Theory   |
| VIF | Variance Inflation Factor    |



# **CHAPTER 1**

## **INTRODUCTION**

### **1.1 Background of the Research**

In modern day, rapidly evolving business environments that are full with changes and uncertainty led to the need for flexibility. The increase of customers' expectation on the speed to fulfill their requirements have forced many organizations to act and respond faster, and to be more flexible to changes (Agus, 2011; Zhang, Vonderembse, & Lim, 2003). Traditional manufacturing approaches are no longer sufficient for a firm to secure competitive advantage in this drastically changing environment (Kaur, Kumar, & Kumar, 2016; Koste & Malhotra, 1999a).

Concurrently, rapid changes in world's technology have shortened the life cycle of the product; with customer demand for more innovative products with higher value, creating a flexible organization becomes essential to cope for rapid changes (Judi & Beach, 2008; Russell & Taylor, 2014). Decreasing of profit margins, increasing of inventory levels to cope with uncertainty, increasing of global competition, and increasing speed of technological changes (Agus, 2011; Judi & Beach, 2008; Kaur et al., 2016; Kher, Malhotra, Philipoom, & Fry, 1999; Mishra, Pundir, & Ganapathy, 2014; Nayak & Ray, 2012) have further amplified the need for flexibility. As a result, organizations must find better ways to meet these challenges. Since manufacturing flexibility enhances the ability of a firm to respond to customer needs that are highly diversified, it is generally accepted that incorporating manufacturing flexibility within the manufacturing function will help the organization to respond to such changes and customer needs in a faster and better way (Mishra et

The contents of  
the thesis is for  
internal user  
only

## REFERENCES

- Abdi, H., & Williams, L. J. (2010). Principal component analysis. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(4), 433-459. doi: 10.1002/wics.101
- Abdulmalek, F. A., Rajgopal, J., & Needy, K. L. (2006). A classification scheme for the process industry to guide the implementation of lean. *Engineering Management Journal*, 18(2), 15-25. doi: 10.1080/10429247.2006.11431690
- Adis, A. A., & Razli, I. A. (2009). Factors affecting new product development in malaysian manufacturing industry. *International Bulletin of Business Administration*(4), 67-84.
- Adnan, N., Ahmad, M. H., & Adnan, R. (2006). A comparative study on some methods for handling multicollinearity problems. *Matematika*, 22, 109-119.
- Agus, A. (2011). Supply chain management, supply chain flexibility and business performance. *Journal of Global Strategic Management*, 9, 134-145.
- Agus, A., & Shukri Hajinoor, M. (2012). Lean production supply chain management as driver towards enhancing product quality and business performance. *International Journal of Quality & Reliability Management*, 29(1), 92-121. doi: 10.1108/02656711211190891
- Aized, T. (2010). *Future manufacturing systems*. India: Sciyo.
- Akio, T. (2005). The critical assessment of the resource-based view of strategic management. *Ritsumeikan International Affairs*, 3, 125-150.
- Al-jawazneh, B. E. (2012). Manufacturing flexibility and operational performance of pharmaceutical manufacturing companies in jordan. *International Journal of Business and Management*, 7(4), 181-194. doi: 10.5539/ijbm.v7n4p181
- Al-Zu'bi, Z. b. M. F. (2015). Examining the impact of lean practices on flexibility performance: The moderating effect of environmental dynamism. *Engineering Management Research*, 4(2), 54-69. doi: 10.5539/emr.v4n2p54
- Alad, A. H., & Deshpande, V. A. (2014). A review of various tools and techniques for lead time reduction. *International Journal of Engineering Development and Research*, 2(1), 1159-1164.

- Alamro, A. (2014, 9-12 May). *The impact of new product flexibility on operational performance: Evidence from jordanian manufacturing companies*. Paper presented at the POMS 25th Annual conference, Atlanta, USA.
- Allison, P. D. (1999). *Multiple regression: A primer*. CA: SAGE Publications.
- Anand, G., & Ward, P. T. (2004). Fit, flexibility and performance in manufacturing: Coping with dynamic environments. *Production and Operations Management*, 13(4), 369-385.
- Anderson, E. W., Fornell, C., & Lehmann, D. R. (1994). Customer satisfaction, market share, and profitability: Findings from sweden. *The Journal of Marketing*, 53-66.
- Aranda, D. A. (2003). Service operations strategy, flexibility and performance in engineering consulting firms. *International Journal of Operations & Production Management*, 23(11), 1401-1421. doi: 10.1108/01443570310501907
- Araujo, L., & Spring, M. (2002). *Manufacturing flexibility and industrial networks*. Paper presented at the 18th IMP Conference, Dijon, France.
- Bahrami. (1992). The emerging flexible organization: Perspectives from silicon valley. *California Management Review*, 34(4), 55-75.
- Bahrami, H. (1993). Emerging flexible organization: Perspectives from silicon valley. *IEEE Engineering Management Review*, 21(4), 94-103.
- Barney, J. (1991). Firm resources and sustained competitive advantage. *Journal of Management*, 17(1), 99-120. doi: 10.1177/014920639101700108
- Baron, R. M., & Kenny, D. A. (1986). The moderator–mediator variable distinction in social psychological research: Conceptual, strategic, and statistical considerations. *Journal of Personality and Social Psychology*, 51(6), 1173-1182. doi: 10.1037/0022-3514.51.6.1173
- Bartezzaghi, E., Turco, F., & Spina, G. (1992). The impact of the just-in-time approach on production system performance: A survey of italian industry. *International Journal of Operations & Production Management*, 12(1), 5-17. doi: 10.1108/eum0000000001292

- Baykasoğlu, A., & Özbakır, L. (2008). Analysing the effect of flexibility on manufacturing systems performance. *Journal of Manufacturing Technology Management*, 19(2), 172-193. doi: 10.1108/17410380810847909
- Beach, R., Muhlemann, A. P., Price, D. H. R., Paterson, A., & Sharp, J. A. (2000). A review of manufacturing flexibility. *European Journal of Operational Research*, 122(1), 41-57. doi: 10.1016/s0377-2217(99)00062-4
- Benjaafar, S. (1994). Models for performance evaluation of flexibility in manufacturing systems. *International Journal of Production Research*, 32(6), 1383-1402. doi: 10.1080/00207549408957006
- Benjaafar, S., & Ramakrishnan, R. (1996). Modeling, measurement and evaluation of sequencing flexibility in manufacturing systems. *International Journal of Production Research*, 34, 1195-1220.
- Bernardes, E. S., & Hanna, M. D. (2009). A theoretical review of flexibility, agility and responsiveness in the operations management literature: Toward a conceptual definition of customer responsiveness. *International Journal of Operations & Production Management*, 29(1), 30-53. doi: 10.1108/01443570910925352
- Berry, W. L., & Cooper, M. C. (1999). Manufacturing flexibility: Methods for measuring the impact of product variety on performance in process industries. *Journal of Operations Management*, 17(2), 163-178. doi: 10.1016/s0272-6963(98)00033-3
- Biesanz, J. C., Falk, C. F., & Savalei, V. (2010). Assessing mediational models: Testing and interval estimation for indirect effects. *Multivariate Behavioral Research*, 45(4), 661-701. doi: 10.1080/00273171.2010.498292
- Bish, E., & Muriel, A. (2000). *Impact of manufacturing flexibility on supply chain performance*. Paper presented at the 1st World Conference On Production And Operations Management, Sevilla.
- Bolwijn, P. T., & Kumpe, T. (1990). Manufacturing in the 1990s - productivity, flexibility and innovation. *Long Range Planning*, 23(4), 44-57. doi: 10.1016/0024-6301(90)90151-s
- Bordoloi, S. K., Cooper, W. W., & Matsuo, H. (1999). Flexibility, adaptability, and efficiency in manufacturing systems. *Production and Operations Management*, 8(2), 133-150.



- Box, G. E. P., & Draper, N. R. (2007). *Response surfaces, mixtures, and ridge analyses* (2nd ed.). New Jersey: Wiley-Interscience.
- Boyle, T. A. (2006). Towards best management practices for implementing manufacturing flexibility. *Journal of Manufacturing Technology Management*, 17(1), 6-21. doi: 10.1108/17410380610639470
- Brettel, M., Klein, M., & Friederichsen, N. (2016). The relevance of manufacturing flexibility in the context of industrie 4.0. *Procedia CIRP*, 41, 105-110.
- Browne, J., Dubois, D., Rathmill, K., Sethi, S. P., & Stecke, K. E. (1984). *Types of flexibilities and classification of flexible manufacturing systems*. Working Paper No. 367. Division of Research, Graduate School of Business Administration, The University of Michigan. Michigan.
- Byrne, B. M. (2010). *Structural equation modeling with amos* (2nd ed.). New York, NY: Taylor & Francis Group.
- Camisón, C., & López, A. V. (2010). An examination of the relationship between manufacturing flexibility and firm performance: The mediating role of innovation. *International Journal of Operations & Production Management*, 30(8), 853-878. doi: 10.1108/01443571011068199
- Capkun, V., Hameri, A. P., & Weiss, L. A. (2009). On the relationship between inventory and financial performance in manufacturing companies. *International Journal of Operations & Production Management*, 29(8), 789-806. doi: 10.1108/01443570910977698
- Carlsson, B. (1989). Flexibility and the theory of the firm. *International Journal of Industrial Organization*, 7(2), 179-203. doi: 10.1016/0167-7187(89)90018-0
- Carr, A. S., & Kaynak, H. (2007). Communication methods, information sharing, supplier development and performance. *International Journal of Operations & Production Management*, 27(4), 346-370. doi: 10.1108/01443570710736958
- Carter, M. F. (1986). *Designing flexibility into automated manufacturing systems*. Paper presented at the 2nd ORSA/TIMS Conference on Flexible Manufacturing Systems: Operations Research Models and Applications, Amsterdam, The Netherlands.
- Carton, R. B., & Hofer, C. W. (2006). *Measuring organizational performance: Metrics for entrepreneurship and strategic management research*. Cheltenham, UK: Edward Elgar Publishing.

- Chang, A.-Y., Whitehouse, D. J., Chang, S.-L., & Hsieh, Y.-C. (2001). An approach to the measurement of single-machine flexibility. *International Journal of Production Research*, 39(8), 1589-1601. doi: 10.1080/00207540010023024
- Chang, A. Y. (2004). On the measurement of labor flexibility. *I*, 163-167. doi: 10.1109/iemc.2004.1407097
- Chang, S.-C., Lin, N.-P., & Sheu, C. (2002). Aligning manufacturing flexibility with environmental uncertainty: Evidence from high-technology component manufacturers in taiwan. *International Journal of Production Research*, 40(18), 4765-4780. doi: 10.1080/00207540210157196
- Chang, S.-C., Yang, C.-L., Cheng, H.-C., & Sheu, C. (2003). Manufacturing flexibility and business strategy: An empirical study of small and medium sized firms. *International Journal of Production Economics*, 83(1), 13-26. doi: 10.1016/s0925-5273(02)00263-3
- Chauhan, G., & Singh, T. P. (2014). Development and validation of resource flexibility measures for manufacturing industry. *Journal of Industrial Engineering and Management*, 10(1), 21-41. doi: 10.3926/jiem.655
- Chearskul, P. (2010). *An empirical investigation of performance measurement system use and organizational performance*. (Doctor of Philosophy), Virginia Polytechnic Institute and State University.
- Cheng, T. C. E., & Podolsky, S. (1993). *Just-in-time manufacturing: An introduction* (1 ed.). Suffolk: Chapman & Hall.
- Choi, B., Poon, S., & Davis, J. (2008). Effects of knowledge management strategy on organizational performance: A complementarity theory-based approach. *Omega*, 36(2), 235-251. doi: 10.1016/j.omega.2006.06.007
- Chou, M. C., Teo, C.-P., & Zheng, H. (2008). Process flexibility: Design, evaluation, and applications. *Flexible Services and Manufacturing Journal*, 20(1-2), 59-94. doi: 10.1007/s10696-008-9053-9
- Clarkson, M. B. E. (1995). A stakeholder framework for analyzing and evaluating corporate social performance. *The Academy of Management Review*, 20(1), 92-117. doi: 10.2307/258888
- Coakes, S. J. (2013). *Spss: Analysis without anguish : Version 20 for windows*. Australia: John Wiley and Sons.

- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences*. New York, NY: Academic press.
- Combs, J. G., Crook, T. R., & Shook, C. L. (2005). The dimensionality of organizational performance and its implications for strategic management research. *Research Methodology in Strategy and Management*, 2, 259-286. doi: 10.1016/s1479-8387(05)02011-4
- Cooper, D., & Schindler, P. (2013). *Business research methods* (12th ed.). New York, NY: McGraw-Hill Higher Education.
- Cousens, A., Szwajczewski, M., & Sweeney, M. (2009). A process for managing manufacturing flexibility. *International Journal of Operations & Production Management*, 29(4), 357-385. doi: 10.1108/01443570910945828
- Cox, J. T. (1989). Toward the measurement of manufacturing flexibility. *Production and Inventory Management Journal*, 30(1), 68-72.
- Craighead, C. W., Ketchen, D. J., Dunn, K. S., & Hult, G. T. M. (2011). Addressing common method variance: Guidelines for survey research on information technology, operations, and supply chain management. *Engineering Management, IEEE Transactions on*, 58(3), 578-588.
- Cunningham, J. B., & McCrum-Gardner, E. (2007). Power, effect and sample size using gpower: Practical issues for researchers and members of research ethics committees. *Evidence Based Midwifery*, 5(4), 132-136.
- D'Souza, D. E. (2006). Performance payoffs from manufacturing flexibility: The impact of market-driven mobility. *Journal of Managerial Issues*, 18(4), 494-511.
- D'Souza, D. E., & Williams, F. P. (2000). Toward a taxonomy of manufacturing flexibility dimensions. *Journal of Operations Management*, 18(5), 577-593. doi: 10.1016/s0272-6963(00)00036-x
- Das, A. (2001). Towards theory building in manufacturing flexibility. *International Journal of Production Research*, 39(18), 4153-4177. doi: 10.1080/00207540110072281
- Das, S. K., & Nagendra, P. (1993). Investigations into the impact of flexibility on manufacturing performance. *International Journal of Production Research*, 31(10), 2337-2354. doi: 10.1080/00207549308956861

- De Toni, A., & Tonchia, S. (1998). Manufacturing flexibility: A literature review. *International Journal of Production Research*, 36(6), 1587-1617. doi: 10.1080/002075498193183
- Dillman, D. A., Smyth, J. D., & Christian, L. M. (2014). *Internet, phone, mail, and mixed-mode surveys: The tailored design method* (4th ed.). Hoboken, New Jersey: John Wiley & Sons.
- Dixon, J. R. (1992). Measuring manufacturing flexibility: An empirical investigation. *European Journal of Operational Research*, 60(2), 131-143. doi: 10.1016/0377-2217(92)90088-q
- Dooley, D. (2001). *Social research methods* (4th ed.). Upper Saddle River, NJ: Prentice Hall.
- Duclos, L. K., Vokurka, R. J., & Lummus, R. R. (2003). A conceptual model of supply chain flexibility. *Industrial Management & Data Systems*, 103(6), 446-456. doi: 10.1108/02635570310480015
- Economic Planning Unit. (2014). *Complexity analysis study of malaysia's manufacturing industries*. Putrajaya: EPU.
- Evans, J. R. (2004). An exploratory study of performance measurement systems and relationships with performance results. *Journal of Operations Management*, 22(3), 219-232. doi: 10.1016/j.jom.2004.01.002
- Farris, P. W., Bendle, N. T., Pfeifer, P. E., & Reibstein, D. J. (2010). *Marketing metrics: The definitive guide to measuring marketing performance*. Upper Saddle River, NJ: Pearson Education.
- Faul, F., Erdfelder, E., Lang, A.-G., & Buchner, A. (2007). G\*power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behavior Research Methods*, 39(2), 175-191. doi: 10.3758/bf03193146
- Fernandes, R., Gouveia, J. B., & Pinho, C. (2012). Product mix strategy and manufacturing flexibility. *Journal of Manufacturing Systems*, 31(3), 301-311. doi: 10.1016/j.jmsy.2012.02.001
- Fiegenbaum, A., & Karnani, A. (1991). Output flexibility—a competitive advantage for small firms. *Strategic Management Journal*, 12(2), 101-114. doi: 10.1002/smj.4250120203

- Finch, B. J. (2008). *Operations now, supply chain profitability and performance* (3rd ed.). New York: McGraw Hill/Irwin.
- Forker, L. B., Vickery, S. K., & Droge, C. L. M. (1996). The contribution of quality to business performance. *International Journal of Operations & Production Management*, 16(8), 44-62. doi: 10.1108/01443579610125778
- Freeman, R. E. (2010). *Strategic management: A stakeholder approach*. New York, NY: Cambridge University Press.
- Fullerton, R. R., & McWatters, C. S. (2001). The production performance benefits from jit implementation. *Journal of Operations Management*, 19(1), 81-96. doi: 10.1016/s0272-6963(00)00051-6
- Fullerton, R. R., & Wempe, W. F. (2009). Lean manufacturing, non-financial performance measures, and financial performance. *International Journal of Operations & Production Management*, 29(3), 214-240. doi: 10.1108/01443570910938970
- Furlan, A., Dal Pont, G., & Vinelli, A. (2011). On the complementarity between internal and external just-in-time bundles to build and sustain high performance manufacturing. *International Journal of Production Economics*, 133(2), 489-495. doi: 10.1016/j.ijpe.2010.07.043
- Furlan, A., Vinelli, A., & Dal Pont, G. (2011). Complementarity and lean manufacturing bundles: An empirical analysis. *International Journal of Operations & Production Management*, 31(8), 835-850. doi: 10.1108/01443571111153067
- Fynes, B., & Voss, C. (2001). A path analytic model of quality practices, quality performance, and business performance. *Production and Operations Management*, 10(4), 494-513. doi: 10.1111/j.1937-5956.2001.tb00089.x
- Gabisch, J. A., & Gwebu, K. L. (2011). Impact of virtual brand experience on purchase intentions: The role of multichannel congruence. *Journal of Electronic Commerce Research*, 12(4), 302-319.
- Gerwin, D. (1989). Manufacturing flexibility in the cam era. *Business Horizons*, 32(1), 78-84.
- Gerwin, D. (1993). Manufacturing flexibility: A strategic perspective. *Management Science*, 39(4), 395-410.

- Gerwin, D. (2005). An agenda for research on the flexibility of manufacturing processes. *International Journal of Operations & Production Management*, 25(12), 1171-1182. doi: 10.1108/01443570510633576
- Gitman, L. J., & McDaniel, C. D. (2008). *The future of business: The essentials*. Mason, OH: Cengage South-Western.
- Grandzol, J. R., & Gershon, M. (1998). A survey instrument for standardizing tqm modeling research. *International Journal of Quality Science*, 3(1), 80-105. doi: 10.1108/13598539810203887
- Green, K. W., & Inman, R. A. (2007). The impact of jit-ii-selling on organizational performance. *Industrial Management & Data Systems*, 107(7), 1018-1035. doi: 10.1108/02635570710816720
- Grewal, R., Cote, J. A., & Baumgartner, H. (2004). Multicollinearity and measurement error in structural equation models: Implications for theory testing. *Marketing Science*, 23(4), 519-529. doi: 10.1287/mksc.1040.0070
- Griffin, A. (1997). Pdma research on new product development practices: Updating trends and benchmarking best practices. *Journal of Product Innovation Management*, 14(6), 429-458. doi: 10.1016/s0737-6782(97)00061-1
- Groote, X. d. (1994). The flexibility of production processes: A general framework. *Management Science*, 40(7), 933-945. doi: 10.1287/mnsc.40.7.933
- Groover, M. P. (2008). *Automation, production systems, and computer-integrated manufacturing* (3rd ed.). Upper Saddle River, NJ: Pearson Education.
- Gross, J. R., & Raymond, B. (1993). Total flexibility management: A managerial approach for developing flexible resources. *Industrial Management*, 35(5), 21-23.
- Gupta, A. (2004). *Characterization and measurement of manufacturing flexibility for production planning in high mix low volume manufacturing system*. (Doctor of Philosophy), Hong Kong University of Science and Technology.
- Gupta, D., & Buzacott, J. A. (1989). A framework for understanding flexibility of manufacturing systems. *Journal of Manufacturing Systems*, 8(2), 89-97.

- Gupta, Y. P., & Somers, T. M. (1992). The measurement of manufacturing flexibility. *European Journal of Operational Research*, 60(2), 166-182. doi: 10.1016/0377-2217(92)90091-m
- Gupta, Y. P., & Somers, T. M. (1996). Business strategy, manufacturing flexibility, and organizational performance relationships: A path analysis approach. *Production and Operations Management*, 5(3), 204-233.
- Hair, J. F., Black, W. C., Babin, B. J., & Anderson, R. E. (2013). *Multivariate data analysis* (7th ed.). UK: Pearson Education.
- Hallgren, M. (2007). *Manufacturing strategy, capabilities and performance*. (doctoral dissertation), Linköping University, Linköping, SWEDEN.
- Hallgren, M., & Olhager, J. (2009a). Flexibility configurations: Empirical analysis of volume and product mix flexibility. *Omega*, 37(4), 746-756. doi: 10.1016/j.omega.2008.07.004
- Hallgren, M., & Olhager, J. (2009b). Lean and agile manufacturing: External and internal drivers and performance outcomes. *International Journal of Operations & Production Management*, 29(10), 976-999. doi: 10.1108/01443570910993456
- Hamilton, L. C., & Press, D. (1992). *Regression with graphics: A second course in applied statistics* (Vol. 1). CA: Duxbury press Belmont.
- Hayes, A. F. (2009). Beyond baron and kenny: Statistical mediation analysis in the new millennium. *Communication Monographs*, 76(4), 408-420. doi: 10.1080/03637750903310360
- Hayes, A. F. (2013). *Introduction to mediation, moderation, and conditional process analysis: A regression-based approach*. New York, NY: Guilford Press.
- Hayes, A. F., & Scharkow, M. (2013). The relative trustworthiness of inferential tests of the indirect effect in statistical mediation analysis: Does method really matter? *Psychol Sci*, 24(10), 1918-1927. doi: 10.1177/0956797613480187
- Héctor, K. C., & Bernal, L. M. S. y. (2006). Importance of flexibility in manufacturing systems. *International Journal of Computers, Communications & Control*, 1(2), 53-60.



- Heizer, J., Render, B., & Munson, C. (2017). *Principles of operations management*. Boston: Pearson Education.
- Heizer, J. H., & Render, B. (2013). *Operations management*. Boston: Pearson Education.
- Helkiö, P. (2008). *International investigation of manufacturing flexibility: Strategies, contingencies and antecedents*. (Master of Science (Technology)), Helsinki University Of Technology.
- Hirano, H. (1989). *Jit factory revolution: A pictorial guide to factory design of the future* (7th ed.). Massachusetts: Productivity Press.
- Hutcheson, G. D., & Sofroniou, N. (1999). *The multivariate social scientist: Introductory statistics using generalized linear models*. London: SAGE Publications.
- Jabar, J., Soosay, C., & Santa, R. (2011). Organisational learning as an antecedent of technology transfer and new product development: A study of manufacturing firms in malaysia. *Journal of Manufacturing Technology Management*, 22(1), 25-45. doi: 10.1108/17410381111099798
- Jack, E. P. (2000). *Measuring and comparing volume flexibility of small and large firms*. (Doctor of Philosophy), University of Cincinnati.
- Jack, E. P., & Raturi, A. S. (2009). Measuring and comparing volume flexibility in the capital goods industry. *Production and Operations Management*, 12(4), 480-501. doi: 10.1111/j.1937-5956.2003.tb00216.x
- Jain, A., Jain, P. K., Chan, F. T. S., & Singh, S. (2013). A review on manufacturing flexibility. *International Journal of Production Research*, 51(19), 5946-5970. doi: 10.1080/00207543.2013.824627
- Jantan, M., Ndubisi, N. O., & Hing, L. C. (2006). Supplier selection strategy and manufacturing flexibility: Impact of quality and technology roadmaps *Asian Academy of Management Journal*, 11(1), 19-47.
- Jensen, J. B., Malhotra, M. K., & Philipoom, P. R. (1996). Machine dedication and process flexibility in a group technology environment. *Journal of Operations Management*, 14(1), 19-39. doi: 10.1016/0272-6963(95)00030-5

- Johnson, D. J. (2003). A framework for reducing manufacturing throughput time. *Journal of Manufacturing Systems*, 22(4), 283-298. doi: 10.1016/s0278-6125(03)80009-2
- Jordan, W. C., & Graves, S. C. (1995). Principles on the benefits of manufacturing process flexibility. *Management Science*, 41(4), 577-594.
- Judi, H. M., & Beach, R. (2008). The structure of manufacturing flexibility: Comparison between uk and malaysian manufacturing firms. *Journal of Applied Sciences*, 8(19), 3340-3350. doi: 10.3923/jas.2008.3340.3350
- Judi, H. M., Beach, R., & Muhlemann, A. P. (2004). *Defining manufacturing flexibility: A research prerequisite*. Working Paper No. 04/38. Bradford University School of Management. UK.
- Kaiser, H. F. (1974). An index of factorial simplicity. *Psychometrika*, 39(1), 31-36. doi: 10.1007/bf02291575
- Kaplan, R., & Norton, D. (2005). The balanced scorecard: Measures that drive performance. *Harvard Business Review*, 83(7), 172-182.
- Kara, S., & Kayis, B. (2004). Manufacturing flexibility and variability: An overview. *Journal of Manufacturing Technology Management*, 15(6), 466-478. doi: 10.1108/17410380410547870
- Karuppan, C. M. (2004). Strategies to foster labor flexibility. *International Journal of Productivity and Performance Management*, 53(6), 532-547. doi: 10.1108/17410400410556192
- Karuppan, C. M., & Kepes, S. (2006). The strategic pursuit of mix flexibility through operators' involvement in decision making. *International Journal of Operations & Production Management*, 26(9), 1039-1064. doi: 10.1108/01443570610682625
- Kaur, S. P., Kumar, J., & Kumar, R. (2016). Impact of flexibility of manufacturing system components on competitiveness of smes in northern india. *Journal of Engineering, Project, and Production Management*, 6(1), 63.
- Ketokivi, M., & Schroeder, R. (2004). Manufacturing practices, strategic fit and performance: A routine-based view. *International Journal of Operations & Production Management*, 24(2), 171-191. doi: 10.1108/01443570410514876

- Khanchanapong, T., Prajogo, D., Sohal, A. S., Cooper, B. K., Yeung, A. C. L., & Cheng, T. C. E. (2014). The unique and complementary effects of manufacturing technologies and lean practices on manufacturing operational performance. *International Journal of Production Economics*, 153, 191-203. doi: 10.1016/j.ijpe.2014.02.021
- Kher, H. V., Malhotra, M. K., Philipoom, P. R., & Fry, T. D. (1999). Modeling simultaneous worker learning and forgetting in dual resource constrained systems. *European Journal of Operational Research*, 115(1), 158-172. doi: 10.1016/s0377-2217(98)00190-8
- Kim, J.-S., Kaye, J., & Wright, L. K. (2001). Moderating and mediating effects in causal models. *Issues in Mental Health Nursing*, 22(1), 63-75.
- Kline, R. B. (2015). *Principles and practice of structural equation modeling, fourth edition*. New York, NY: Guilford Publications.
- Kokic, P., Chambers, R., Breckling, J., & Beare, S. (1997). A measure of production performance. *Journal of Business & Economic Statistics*, 15(4), 445-451.
- Koste, L. L. (1999). *Measurement of manufacturing flexibility and its implications for supply chain management*. (Doctor of Philosophy), University of South Carolina.
- Koste, L. L., & Malhotra, M. K. (1999a). A perspective on research opportunities in manufacturing flexibility. *Decision Line*, 30(4), 5-8.
- Koste, L. L., & Malhotra, M. K. (1999b). A theoretical framework for analyzing the dimensions of manufacturing flexibility. *Journal of Operations Management*, 18(1), 75-93. doi: 10.1016/s0272-6963(99)00010-8
- Koste, L. L., & Malhotra, M. K. (2000). Trade-offs among the elements of flexibility: A comparison from the automotive industry. *Omega*, 28(6), 693-710. doi: 10.1016/s0305-0483(00)00027-x
- Koste, L. L., Malhotra, M. K., & Sharma, S. (2004). Measuring dimensions of manufacturing flexibility. *Journal of Operations Management*, 22(2), 171-196. doi: 10.1016/j.jom.2004.01.001
- Koufteros, X. A. (1995). *Time-based competition: Developing a nomological network of constructs and instrument development*. (Doctor of Philosophy), University of Toledo.

- Krajewski, L. J., Malhotra, M. K., & Ritzman, L. P. (2015). *Operations management: Processes and supply chains* (11th ed.). Upper Saddle River, NJ: Prentice Hall.
- Krosnick, J. A. (1999). Maximizing questionnaire quality. *Measures of political attitudes*, 2, 37-58.
- Kuhn, M., & Johnson, K. (2013). *Applied predictive modeling*. New York, NY: Springer-Verlag.
- Kumar, S., & Sharma, R. K. (2015). An ism based framework for structural relationship among various manufacturing flexibility dimensions. *International Journal of System Assurance Engineering and Management*, 6(4), 511-521.
- Kumar, V., Fantazy, K. A., Kumar, U., & Boyle, T. A. (2006). Implementation and management framework for supply chain flexibility. *Journal of Enterprise Information Management*, 19(3), 303-319. doi: 10.1108/17410390610658487
- Kuo, H.-C., Li, Y., Wang, L.-H., & Ding, C.-Y. (2006). Flexibility and performance of mnes: Evidence from taiwan *International Journal of Business*, 11(4), 417-432.
- Larso, D. (2004). *Manufacturing flexibility in new product development: Perceptions and implications of new product performance*. (Doctor of Philosophy), Oregon State University.
- Larso, D., Doolen, T., & Hacker, M. (2009). Development of a manufacturing flexibility hierarchy through factor and cluster analysis. *Journal of Manufacturing Technology Management*, 20(4), 417-441. doi: 10.1108/17410380910953702
- Lee, S. H., Chen, C. Y., & Lee, Y. J. (2013). The effects of flexible manufacturing capabilities and logistics capabilities on firm performance: Mass customization as a dual mediator. *Asian Journal of Empirical Research*, 3(8), 1035-1050.
- Lucas, M. T., & Kirillova, O. M. (2011). Reconciling the resource-based and competitive positioning perspectives on manufacturing flexibility. *Journal of Manufacturing Technology Management*, 22(2), 189-203. doi: 10.1108/17410381111102216

- Maddala, G. S., & Lahiri, K. (2009). *Introduction to econometrics* (4th ed.). New York, NY: Wiley.
- Makadok, R. (2001). Toward a synthesis of the resource-based and dynamic-capability views of rent creation. *Strategic Management Journal*, 22(5), 387-401. doi: 10.1002/smj.158
- Maltz, A. C., Shenhar, A. J., & Reilly, R. R. (2003). Beyond the balanced scorecard. *Long Range Planning*, 36(2), 187-204. doi: 10.1016/s0024-6301(02)00165-6
- Mann, R., & Kehoe, D. (1994). An evaluation of the effects of quality improvement activities on business performance. *International Journal of Quality & Reliability Management*, 11(4), 29-44. doi: 10.1108/02656719410057935
- Martínez Sánchez, A., & Pérez Pérez, M. (2005). Supply chain flexibility and firm performance. *International Journal of Operations & Production Management*, 25(7), 681-700. doi: 10.1108/01443570510605090
- Mat Roni, S. (2014). *Introduction to spss*. Australia: SOAR Centre, Edith Cowan University.
- Mendes, L., & Machado, J. (2014). Employees' skills, manufacturing flexibility and performance: A structural equation modelling applied to the automotive industry. *International Journal of Production Research*, 53(13), 4087-4101. doi: 10.1080/00207543.2014.993772
- Milgrom, P., & Roberts, J. (1995). Complementarities and fit strategy, structure, and organizational change in manufacturing. *Journal of Accounting and Economics*, 19(2-3), 179-208. doi: 10.1016/0165-4101(94)00382-f
- Miller, C. C., Washburn, N. T., & Glick, W. H. (2013). Perspective—the myth of firm performance. *Organization Science*, 24(3), 948-964. doi: 10.1287/orsc.1120.0762
- Ministry of Finance. (2012). *Economic report 2011/2012*. (1120000021167). Malaysia: Ministry of Finance.
- Ministry of Finance. (2013). *Ekonomik report 2012/2013*. Malaysia: Ministry of Finance.
- Ministry of Finance. (2014). *Economic report 2013/2014*. Malaysia: Ministry of Finance.

- Ministry of Finance. (2015). *Economic report 2014/2015*. Malaysia: Ministry of Finance.
- Mishra, R., Pundir, A. K., & Ganapathy, L. (2014). Assessment of manufacturing flexibility. *Management Research Review*, 37(8), 750-776. doi: 10.1108/mrr-03-2013-0055
- Mishra, R., Pundir, A. K., & Ganapathy, L. (2016). Conceptualizing sources, key concerns and critical factors for manufacturing flexibility adoption. *Journal of Manufacturing Technology Management*, 27(3), 379-407. doi: 10.1108/jmtm-06-2015-0037
- Mohsen. (2010). A framework for selection of material handling equipment in manufacturing and logistics facilities. *Journal of Manufacturing Technology Management*, 21(2), 246-268. doi: 10.1108/17410381011014396
- Muriel, A., Somasundaram, A., & Zhang, Y. (2006). Impact of partial manufacturing flexibility on production variability. *Manufacturing & Service Operations Management*, 8(2), 192-205. doi: 10.1287/msom.1060.0099
- Musa, R. A. A. R. (2007). *Transactions costs in regional trade and trade facilitation: The malaysian business perspective*. Malaysia: Federation of Malaysian Manufacturers.
- Najmaei, A., & Sadeghinejad, Z. (2009). How does knowledge management matter in enterprise strategic flexibility? Multiple case study approach based on smes in malaysia *IBIMA Business Review*, 1, 32-54.
- Narasimhan, R., & Das, A. (1999). An empirical investigation of the contribution of strategic sourcing to manufacturing flexibilities and performance. *Decision Sciences*, 30(3), 683-718. doi: 10.1111/j.1540-5915.1999.tb00903.x
- Nassirnia, P., & Tap, M. M. (2010). Strategies to achieve labor flexibility in the garment industry. *IJCSI International Journal of Computer Science Issues*, 7(4), 41-48.
- Nawanir, G. (2011). *Lean practices, operations performance and business performance: A study on indonesia manufacturing companies*. (Master of Science), Universiti Utara Malaysia.
- Nawanir, G., Lim, K. T., & Othman, S. N. (2013). Impact of lean practices on operations performance and business performance. *Journal of Manufacturing Technology Management*, 24(7), 1019-1050. doi: 10.1108/jmtm-03-2012-0027

- Nawanir, G., Lim, K. T., & Othman, S. N. (2016). Lean manufacturing practices in Indonesian manufacturing firms. *International Journal of Lean Six Sigma*, 7(2), 149-170. doi: 10.1108/ijlss-06-2014-0013
- Nayak, N. C., & Ray, P. K. (2012). An empirical investigation of the relationships between manufacturing flexibility and product quality. *International Journal of Modelling in Operations Management*, 2(1), 26-44. doi: 10.1504/ijmom.2012.043959
- Ng, M., & Lin, J. (2016). Testing for mediation effects under non-normality and heteroscedasticity: A comparison of classic and modern methods. *International Journal of Quantitative Research in Education*, 3(1/2), 24-40. doi: 10.1504/ijqre.2016.073643
- Ngamsirijit, W. (2011). Manufacturing flexibility improvement and resource-based view: Cases of automotive firms. *International Journal of Agile Systems and Management*, 4(4), 319. doi: 10.1504/ijasm.2011.043130
- Nilsson, C.-H., & Nordahl, H. (1995). Making manufacturing flexibility operational – part 1: A framework. *Integrated Manufacturing Systems*, 6(1), 5-11. doi: 10.1108/09576069510076108
- Nishith, M., Rishi, G., & Sharma, S. K. (2013). Flexibility measurement criteria with respect to reconfigurable system properties. *Int. Journal of Engineering Research and Applications*, 3(5), 1711-1716.
- O'Leary-Kelly, S. (1998). The empirical assessment of construct validity. *Journal of Operations Management*, 16(4), 387-405. doi: 10.1016/S0272-6963(98)00020-5
- Oke, A. (2003). Drivers of volume flexibility requirements in manufacturing plants. *International Journal of Operations & Production Management*, 23(12), 1497-1513. doi: 10.1108/01443570310506731
- Oke, A. (2005). A framework for analysing manufacturing flexibility. *International Journal of Operations & Production Management*, 25(10), 973-996. doi: 10.1108/01443570510619482
- Olhager, J. (1993). Manufacturing flexibility and profitability. *International Journal of Production Economics*, 30-31(0), 67-78. doi: 10.1016/0925-5273(93)90082-v



- Olhager, J., & West, B. M. (2002). The house of flexibility: Using the qfd approach to deploy manufacturing flexibility. *International Journal of Operations & Production Management*, 22(1), 50-79. doi: 10.1108/01443570210412079
- Pallant, J. (2013). *Spss survival manual*. UK: McGraw-Hill Education.
- Parker, R. P., & Wirth, A. (1999). Manufacturing flexibility: Measures and relationships. *European Journal of Operational Research*, 118, 429-449.
- Patel, P. C., Terjesen, S., & Li, D. (2012). Enhancing effects of manufacturing flexibility through operational absorptive capacity and operational ambidexterity. *Journal of Operations Management*, 30(3), 201-220. doi: 10.1016/j.jom.2011.10.004
- Peláez-Ibarrondo, J. J., & Ruiz-Mercader, J. (2001). *Measuring operational flexibility*. Paper presented at the The Fourth SMESME International Conference.
- Pérez Pérez, M., Serrano Bedia, A. M., & López Fernández, M. C. (2016). A review of manufacturing flexibility: Systematising the concept. *International Journal of Production Research*, 54(10), 3133-3148. doi: 10.1080/00207543.2016.1138151
- Peteraf, M. A. (1993). The cornerstones of competitive advantage: A resource-based view. *Strategic Management Journal*, 14(3), 179-191. doi: 10.1002/smj.4250140303
- Petroni, A., & Bevilacqua, M. (2002). Identifying manufacturing flexibility best practices in small and medium enterprises. *International Journal of Operations & Production Management*, 22(8), 929-947. doi: 10.1108/01443570210436217
- Pinilla, J. M., & Prinz, F. B. (2003). Lead-time reduction through flexible routing: Application to shape deposition manufacturing. *International Journal of Production Research*, 41(13), 2957-2973. doi: 10.1080/0020754021000032040
- Podsakoff, P. M., MacKenzie, S. B., Lee, J. Y., & Podsakoff, N. P. (2003). Common method biases in behavioral research: A critical review of the literature and recommended remedies. *J Appl Psychol*, 88(5), 879-903. doi: 10.1037/0021-9010.88.5.879

- Powers, T. L., & Jack, E. P. (2008). Using volume flexible strategies to improve customer satisfaction and performance in health care services. *Journal of Services Marketing*, 22(3), 188-197. doi: 10.1108/08876040810871156
- Preacher, K. J., & Kelley, K. (2011). Effect size measures for mediation models: Quantitative strategies for communicating indirect effects. *Psychol Methods*, 16(2), 93-115. doi: 10.1037/a0022658
- Ramasesh, R. V., & Jayakumar, M. D. (1991). Measurement of manufacturing flexibility: A value based approach. *Journal of Operations Management*, 10(4), 446-468. doi: 10.1016/0272-6963(91)90005-i
- Raturi, A. S., & Jack, E. P. (2004). Creating a volume flexible firm. *Business Horizons*, 47(6), 69-78.
- Ray, G., Barney, J. B., & Muhanna, W. A. (2004). Capabilities, business processes, and competitive advantage: Choosing the dependent variable in empirical tests of the resource-based view. *Strategic Management Journal*, 25(1), 23-37. doi: 10.1002/smj.366
- Richard, P. J., Devinney, T. M., Yip, G. S., & Johnson, G. (2009). Measuring organizational performance: Towards methodological best practice. *Journal of Management*, 35(3), 718-804. doi: 10.1177/0149206308330560
- Roberts, P., & Priest, H. (2006). Reliability and validity in research. *Nurs Stand*, 20(44), 41-45. doi: 10.7748/ns2006.07.20.44.41.c6560
- Roca-Puig, V., Beltrán-Martín, I., Bou-Llusar, J. C., & Escrig-Tena, A. B. (2008). External and internal labour flexibility in Spain: A substitute or complementary effect on firm performance? *The International Journal of Human Resource Management*, 19(6), 1131-1151.
- Roca-Puig, V., Beltrán-Martín, I., Escrig-Tena, A. B., & Bou-Llusar, J. C. (2005). Strategic flexibility as a moderator of the relationship between commitment to employees and performance in service firms. *The International Journal of Human Resource Management*, 16(11), 2075-2093. doi: 10.1080/09585190500315026
- Rogers, P. P. (2008). *An empirical investigation of manufacturing flexibility and organizational performance as moderated by strategic integration and organizational infrastructure*. (Doctor of Philosophy), University of North Texas.

- Rogers, P. P., Ojha, D., & White, R. E. (2011). Conceptualising complementarities in manufacturing flexibility: A comprehensive view. *International Journal of Production Research*, 49(12), 3767-3793. doi: 10.1080/00207543.2010.499116
- Russell, R. S., & Taylor, B. W. (2014). *Operations and supply chain management* (8th ed.). Singapore: John Wiley & Sons.
- Rust, R. T., Moorman, C., & Dickson, P. R. (2002). Getting return on quality: Revenue expansion, cost reduction, or both? *Journal of Marketing*, 66(4), 7-24. doi: 10.1509/jmkg.66.4.7.18515
- Sahar Sauian, M. (2002). Labour productivity: An important business strategy in manufacturing. *Integrated Manufacturing Systems*, 13(6), 435-438. doi: 10.1108/09576060210436696
- Said, A. A., HassabElnaby, H. R., & Wier, B. (2003). An empirical investigation of the performance consequences of nonfinancial measures. *Journal of Management Accounting Research*, 15(1), 193-223. doi: 10.2308/jmar.2003.15.1.193
- Saleh, J. H., Hastings, D. E., & Newman, D. J. (2001). Extracting the essence of flexibility in system design. 59-72. doi: 10.1109/eh.2001.937948
- Sambasivan, M., Nandan, T., & Mohamed, Z. A. (2009). Consolidation of performance measures in a supply chain environment. *Journal of Enterprise Information Management*, 22(6), 660-689. doi: 10.1108/17410390910999576
- Santos, J. B., & Brito, L. A. L. (2012). Toward a subjective measurement model for firm performance. *BAR. Brazilian Administration Review*, 9(spe), 95-117. doi: 10.1590/s1807-76922012000500007
- Saraph, J. V., Benson, P. G., & Schroeder, R. G. (1989). An instrument for measuring the critical factors of quality management. *Decision Sciences*, 20(4), 810-829. doi: 10.1111/j.1540-5915.1989.tb01421.x
- Sawhney, R. (2006). Interplay between uncertainty and flexibility across the value-chain: Towards a transformation model of manufacturing flexibility. *Journal of Operations Management*, 24(5), 476-493. doi: 10.1016/j.jom.2005.11.008

- Sawhney, R. (2013). Implementing labor flexibility: A missing link between acquired labor flexibility and plant performance. *Journal of Operations Management*, 31(1-2), 98-108. doi: 10.1016/j.jom.2012.11.003
- Schroeder, R. G., Anderson, J. C., & Cleveland, G. (1986). The content of manufacturing strategy: An empirical study. *Journal of Operations Management*, 6(3), 405-415.
- Schroeder, R. G., Bates, K. A., & Junttila, M. A. (2002). A resource-based view of manufacturing strategy and the relationship to manufacturing performance. *Strategic Management Journal*, 23(2), 105-117. doi: 10.1002/smj.213
- Schulz, A. P., Fricke, E., & Igenbergs, E. (2000). *Enabling changes in systems throughout the entire life-cycle – key to success?* . Paper presented at the Proceedings of the 10th annual INCOSE conference, Minneapolis, USA.
- Sekaran, U., & Bougie, R. (2013). *Research methods for business: A skill building approach* (6th ed.). New York, NY: John Wiley & Sons.
- Seng, O. Y., Jantan, M., & Ramayah, T. (2005). Implementing total productive maintenance (tpm) in malaysian manufacturing organisation: An operational strategy study. *The ICFAI Journal of Operations Management*, IV(2), 53-62.
- Sethi, A., & Sethi, S. (1990). Flexibility in manufacturing: A survey. *International Journal of Flexible Manufacturing Systems*, 2(4), 289-328. doi: 10.1007/bf00186471
- Shah, R. (2003). Lean manufacturing: Context, practice bundles, and performance. *Journal of Operations Management*, 21(2), 129-149. doi: 10.1016/s0272-6963(02)00108-0
- Sharfman, M. (1998). On the advisability of using ceos as the sole informant in strategy research. *Journal of Managerial Issues*, 10(3), 373-392. doi: 10.2307/40604205
- Shewchuk, J. P., & Moodie, C. L. (1998). Definition and classification of manufacturing flexibility types and measures. *International Journal of Flexible Manufacturing Systems*, 10(4), 325-349. doi: 10.1023/a:1008062220281
- Shi, D., & Daniels, R. L. (2003). A survey of manufacturing flexibility - e business flexibility. *IBM Systems Journal*, 42(3), 414-427.

- Slack, N. (1983). Flexibility as a manufacturing objective. *International Journal of Operations & Production Management*, 3(3), 4-13. doi: 10.1108/eb054696
- Slack, N. (2005). The flexibility of manufacturing systems. *International Journal of Operations & Production Management*, 25(12), 1190-1200. doi: 10.1108/01443570510633594
- Slack, N., & Lewis, M. (2005). *Operations management*. UK: Blackwell.
- Sobel, M. E. (1982). Asymptotic confidence intervals for indirect effects in structural equation models. *Sociological Methodology*, 13, 290-312.
- Stecke, K. E., & Browne, J. (1984). *Variations in flexible manufacturing systems according to the relevant types of automated materials handling*. Working Paper No. 392. The University of Michigan. Michigan.
- Stede, W. A. V. d., Chow, C. W., & Lin, T. W. (2006). Strategy, choice of performance measures, and performance. *Behavioral Research in Accounting*, 18(1), 185-205.
- Stevenson, W. J. (2015). *Operations management* (12th ed.). New York, NY: McGraw-Hill Education.
- Suarez, F. F., Cusumano, M. A., & Fine, C. F. (1991). *Flexibility and performance: A literature critique and strategic framework*. working Paper #3298-91/BPS. Sloan School of Management. Massachusetts Institute of Technology. Cambridge, MA.
- Suarez, F. F., Cusumano, M. A., & Fine, C. H. (1996). An empirical study of manufacturing flexibility in printed circuit board assembly. *Operations Research*, 44(1), 223-240.
- Sushil. (1999). *Flexibility in management: A midas touch*. India: Narosa Publishing House.
- Sushil. (2001). Demythifying flexibility. *Management Decision*, 39(10), 860-865.
- Swamidass, P. M. (2000a). *Encyclopedia of production and manufacturing management*. Massachusetts: Kluwer Academic Publishers.

- Swamidass, P. M. (2000b). *Innovations in competitive manufacturing: From jit to e-business*. Boston: Kluwer.
- Swamidass, P. M., & Newell, W. T. (1987). Manufacturing strategy, environmental uncertainty and performance: A path analytic model. *Management Science*, 33(4), 509-524. doi: 10.1287/mnsc.33.4.509
- Swink, M., Narasimhan, R., & Kim, S. W. (2005). Manufacturing practices and strategy integration: Effects on cost efficiency, flexibility, and market-based performance. *Decision Sciences*, 36(3), 427-457. doi: 10.1111/j.1540-5414.2005.00079.x
- Tabachnick, B. G., & Fidell, L. S. (2013). *Using multivariate statistics* (6th ed.). Boston: Pearson Education.
- Tamayo-Torres, J., Ruiz-Moreno, A., & Lloréns-Montes, F. J. (2011). The influence of manufacturing flexibility on the interplay between exploration and exploitation: The effects of organisational learning and the environment. *International Journal of Production Research*, 49(20), 6175-6198. doi: 10.1080/00207543.2010.518989
- Thomke, S. H. (1997). The role of flexibility in the development of new products: An empirical study. *Research Policy*, 26, 105-119.
- Torres, J. T., Jose Benitez-Amado, M., Perez-Arostegui, N., & Barrales-Molina, V. (2011). Exploitation versus exploration: The influence of manufacturing flexibility and the environment *Int. J. Business Environment*, 4(1), 92-105.
- Tracey, M., Vonderembse, M. A., & Lim, J.-S. (1999). Manufacturing technology and strategy formulation: Keys to enhancing competitiveness and improving performance. *Journal of Operations Management*, 17(4), 411-428. doi: 10.1016/s0272-6963(98)00045-x
- Tracey, M. A. (1996). *Logistics/purchasing effectiveness, manufacturing flexibility and firm performance: Instrument development and causal model analysis*. (PhD Manufacturing Management), The University of Toledo.
- Tsourveloudis, N. C., & Phillis, Y. A. (1998). Manufacturing flexibility measurement: A fuzzy logic framework. *IEEE Transactions on Robotics and Automation*, 14(4), 513-524. doi: 10.1109/143.9700

- Tsubone, H., & Horikawa, M. (1999). A comparison between machine flexibility and routing flexibility. *International Journal of Flexible Manufacturing Systems*, 11(1), 83-101. doi: 10.1023/a:1008096724273
- Tuanmat, T. Z., & Smith, M. (2011). The effects of changes in competition, technology and strategy on organizational performance in small and medium manufacturing companies. *Asian Review of Accounting*, 19(3), 208-220. doi: 10.1108/13217341111185137
- Upton, D. M. (1995). Flexibility as process mobility: The management of plant capabilities for quick response manufacturing. *Journal of Operations Management*, 12(3-4), 205-224. doi: 10.1016/0272-6963(95)00004-C
- Upton, D. M. (1997). Process range in manufacturing: An empirical study of flexibility. *Management Science*, 43(8), 1079-1092.
- Valverde, M., Tregaskis, O., & Brewster, C. (2000). Labor flexibility and firm performance. *International Advances in Economic Research*, 6(4), 649-661. doi: 10.1007/bf02295375
- Venkatraman, N. (1987). Measurement of business economic performance: An examination of method convergence. *Journal of Management*, 13(1), 109-122. doi: 10.1177/014920638701300109
- Venkatraman, N., & Prescott, J. E. (1990). The market share-profitability relationship: Testing temporal stability across business cycles. *Journal of Management*, 16(4), 783-805.
- Venkatraman, N., & Ramanujam, V. (1986). Measurement of business performance in strategy research: A comparison of approaches. *The Academy of Management Review*, 11(4), 801-814. doi: 10.2307/258398
- Vickery, S. K., Dröge, C., & Markland, R. E. (1997). Dimensions of manufacturing strength in the furniture industry. *Journal of Operations Management*, 15(4), 317-330. doi: 10.1016/s0272-6963(97)00012-0
- Vinuesa, L. M. M., & Hoque, Z. (2011). *Total quality management, non-financial performance measures and business performance: An empirical study*. Paper presented at the 2011 AFAANZ Conference, Darwin, Australia.
- Vokurka, R. J., & O'Leary-Kelly, S. W. (2000). A review of empirical research on manufacturing flexibility. *Journal of Operations Management*, 18(4), 485-501. doi: 10.1016/s0272-6963(00)00031-0

- Voss, C. A., Åhlström, P., & Blackmon, K. (1997). Benchmarking and operational performance: Some empirical results. *International Journal of Operations & Production Management*, 17(10), 1046-1058. doi: 10.1108/01443579710177059
- Wadhwa, R. S. (2014). Framework for product-mix and changeover manufacturing flexibility. *International Journal of Computer Science Issues*, 11(2), 223-235.
- Wahab, M. I. M., Wu, D., & Lee, C.-G. (2008). A generic approach to measuring the machine flexibility of manufacturing systems. *European Journal of Operational Research*, 186(1), 137-149. doi: 10.1016/j.ejor.2007.01.052
- Wall, T. D., Michie, J., Patterson, M., Wood, S. J., Sheehan, M., Clegg, C. W., & West, M. (2004). On the validity of subjective measures of company performance. *Personnel Psychology*, 57(1), 95-118. doi: 10.1111/j.1744-6570.2004.tb02485.x
- Wang, G. C. S., & Jain, C. L. (2003). *Regression analysis: Modeling & forecasting*. New York, NY: Graceway Pub.
- Waters, D. (2003). *Inventory control and management* (2nd ed.). England: John Wiley & Sons Ltd.
- Watts, C. A., Hahn, C. K., & Sohn, B.-K. (1993). Manufacturing flexibility: Concept and measurement. *OM Review*, 9(4), 33-44.
- White, G. P. (1996). A meta-analysis model of manufacturing capabilities. *Journal of Operations Management*, 14(4), 315-331. doi: 10.1016/s0272-6963(96)00096-4
- Wikipedia. (2015). Market share. from [https://en.wikipedia.org/wiki/Market\\_share](https://en.wikipedia.org/wiki/Market_share)
- Wilson, S., & Ali, N. (2014). Product wheels to achieve mix flexibility in process industries. *Journal of Manufacturing Technology Management*, 25(3), 371-392. doi: 10.1108/jmtm-03-2012-0026
- Wong, Y. C., Wong, K. Y., & Ali, A. (2009). A study on lean manufacturing implementation in the Malaysian electrical and electronics industry. *European Journal of Scientific Research*, 38(4), 521-535.



- Zainol, N. R. B., Al-Mamun, A., & Permarupan, P. Y. (2013). Effects of demand, manufacturing flexibility, cost and supply chain on product modularity: A study in malaysia. *Asian Social Science*, 9(17), 167-179. doi: 10.5539/ass.v9n17p167
- Zhang, Q. (2001). *Technology infusion enabled value chain flexibility: A learning and capability-based perspective*. (Doctor of Philosophy), The University of Toledo, Ann Arbor, MI.
- Zhang, Q., Vonderembse, M. A., & Cao, M. (2009). Product concept and prototype flexibility in manufacturing: Implications for customer satisfaction. *European Journal of Operational Research*, 194(1), 143-154. doi: 10.1016/j.ejor.2007.12.013
- Zhang, Q., Vonderembse, M. A., & Lim, J.-S. (2003). Manufacturing flexibility: Defining and analyzing relationships among competence, capability, and customer satisfaction. *Journal of Operations Management*, 21(2), 173-191. doi: 10.1016/S0272-6963(02)00067-0
- Zikmund, W., Babin, B., Carr, J., & Griffin, M. (2013). *Business research methods*. Orlando, FL: Cengage Learning.
- Zwain, A. A. A., Lim, K., & Othman, S. N. (2012). Knowledge management processes and academic performance in iraqi heis: An empirical investigation. *International Journal of Academic Research in Business and Social Sciences*, 2(6), 1-21.

## APPENDICES

### Appendix A: Examples of Flexibility Components Focus by Past Researchers

| Authors                                                                                                                                  | Manufacturing Flexibility Components                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Browne et al. (1984)                                                                                                                     | <ol style="list-style-type: none"> <li>1. Expansion Flexibility</li> <li>2. Machine Flexibility</li> <li>3. Process Flexibility (similar to mix flexibility)</li> <li>4. Product Flexibility (similar to new product flexibility)</li> <li>5. Routing Flexibility</li> <li>6. Volume Flexibility</li> <li>7. Operation Flexibility</li> <li>8. Production Flexibility</li> </ol>                                                                                                                                                                                                                                                       |
| Swamidass and Newell (1987)                                                                                                              | Aggregated manufacturing Flexibility (instrument indicate it was a mixture of mix and new product flexibility).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Machinery and machine tools industry, US                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Sethi and Sethi (1990)                                                                                                                   | <ol style="list-style-type: none"> <li>1. Material Handling Flexibility</li> <li>2. Machine Flexibility</li> <li>3. Operation Flexibility</li> <li>4. Process Flexibility (similar to mix flexibility)</li> <li>5. Product Flexibility (similar to modification flexibility)</li> <li>6. Routing Flexibility</li> <li>7. Volume Flexibility</li> <li>8. Expansion Flexibility</li> <li>9. Program Flexibility</li> <li>10. Production Flexibility</li> <li>11. Market Flexibility</li> </ol>                                                                                                                                           |
| Gupta and Somers (1996)                                                                                                                  | <ol style="list-style-type: none"> <li>1. Expansion Flexibility</li> <li>2. Material Handling Flexibility</li> <li>3. Routing Flexibility</li> <li>4. Machine Flexibility</li> <li>5. Market Flexibility</li> <li>6. Product Flexibility (similar to new product flexibility)</li> <li>7. Process Flexibility (similar to mix flexibility)</li> <li>8. Programming Flexibility</li> <li>9. Volume Flexibility</li> </ol>                                                                                                                                                                                                               |
| Precision machinery;<br>Electrical and electronics;<br>Industrial machinery;<br>Metal products;<br>Automobile and auto part firms,<br>US |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Narasimhan and Das (1999)                                                                                                                | <ol style="list-style-type: none"> <li>1. Volume Flexibility</li> <li>2. Modification Flexibility</li> <li>3. New product Flexibility</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Mechanical subassembly;<br>Automotive/heavy machinery;<br>Electronics and electrical;<br>Chemicals, US                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Vokurka and O'Leary-Kelly (2000)                                                                                                         | <ol style="list-style-type: none"> <li>1. Machine Flexibility</li> <li>2. Material Handling Flexibility</li> <li>3. Operations Flexibility</li> <li>4. Labor Flexibility</li> <li>5. Process Flexibility (similar to mix flexibility)</li> <li>6. Routing Flexibility</li> <li>7. Product Flexibility (similar to new product flexibility)</li> <li>8. New Design Flexibility (similar to new product flexibility)</li> <li>9. Delivery Flexibility</li> <li>10. Volume Flexibility</li> <li>11. Expansion Flexibility</li> <li>12. Program Flexibility</li> <li>13. Production Flexibility</li> <li>14. Market Flexibility</li> </ol> |

## Appendix A (Continued)

| Authors                                                                                                                                                                                                   | Manufacturing Flexibility Components                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| D'Souza and Williams (2000)                                                                                                                                                                               | 1. Volume Flexibility                                                                                      |
| Directory of Texas Manufacturers 1996 – Cross industries, US                                                                                                                                              | 2. Variety Flexibility (mixture of new product flexibility and mix flexibility)                            |
|                                                                                                                                                                                                           | 3. Process Flexibility (mixture of machine flexibility and mix flexibility)                                |
|                                                                                                                                                                                                           | 4. Material Flexibility (similar to material handling flexibility)                                         |
| Jack (2000)                                                                                                                                                                                               | Volume Flexibility                                                                                         |
| Various industries including aerospace, chemicals, machinery, agriculture, automotive, electronics and electrical, food, medical and health care, paper, utilities and also packaging, US                 |                                                                                                            |
| Chang et al. (2002)                                                                                                                                                                                       | 1. New Product Flexibility                                                                                 |
|                                                                                                                                                                                                           | 2. Volume Flexibility                                                                                      |
| Electronics, Taiwan                                                                                                                                                                                       | 3. Product Mix Flexibility                                                                                 |
| Zhang et al. (2003)                                                                                                                                                                                       | 1. Mix Flexibility                                                                                         |
|                                                                                                                                                                                                           | 2. Volume Flexibility                                                                                      |
| Fabricated metal products; Industrial/commercial machinery; Electronic and electrical; Transportation equipment; Measurements equipment, US                                                               | 3. Flexible Manufacturing Competence (mixture of machine, labor material handling and routing flexibility) |
| Koste et al. (2004)                                                                                                                                                                                       | 1. Machine Flexibility                                                                                     |
|                                                                                                                                                                                                           | 2. Labor Flexibility                                                                                       |
| Electronics; Machinery; Metal products, US                                                                                                                                                                | 3. Material Handling Flexibility                                                                           |
|                                                                                                                                                                                                           | 4. Mix Flexibility                                                                                         |
|                                                                                                                                                                                                           | 5. New Product Flexibility                                                                                 |
|                                                                                                                                                                                                           | 6. Modification Flexibility                                                                                |
| Jantan et al. (2006)                                                                                                                                                                                      | 1. Product Flexibility (similar to mix flexibility)                                                        |
|                                                                                                                                                                                                           | 2. Volume Flexibility                                                                                      |
| Electronics, Malaysia                                                                                                                                                                                     | 3. Launch Flexibility (similar to new product flexibility)                                                 |
| Rogers (2008)                                                                                                                                                                                             | 1. Mix Flexibility                                                                                         |
|                                                                                                                                                                                                           | 2. Routing Flexibility                                                                                     |
| Metal fabrication; Electronics; Automotive; Healthcare/medical devices; Aviation/aerospace; Food/beverages; Plastics/rubber; Electrical; Pharmaceuticals/Chemicals; Transportation; Software/Hardware, US | 3. Volume Flexibility                                                                                      |
|                                                                                                                                                                                                           | 4. Labor Flexibility                                                                                       |
|                                                                                                                                                                                                           | 5. Supply Management Flexibility                                                                           |
| Judi and Beach (2008)                                                                                                                                                                                     | 1. Volume Flexibility                                                                                      |
|                                                                                                                                                                                                           | 2. Variety Flexibility (also known as mix flexibility)                                                     |
| Electronics industry, UK and Malaysia                                                                                                                                                                     | 3. Process Flexibility (similar to routing flexibility)                                                    |
|                                                                                                                                                                                                           | 4. Material Handling Flexibility                                                                           |
| Larso et al. (2009)                                                                                                                                                                                       | 1. New Product Flexibility                                                                                 |
|                                                                                                                                                                                                           | 2. Routing Flexibility                                                                                     |
| Electronics, US                                                                                                                                                                                           | 3. Modification Flexibility                                                                                |
|                                                                                                                                                                                                           | 4. Operation Flexibility                                                                                   |
|                                                                                                                                                                                                           | 5. Labor Flexibility                                                                                       |
|                                                                                                                                                                                                           | 6. Machine Flexibility                                                                                     |
|                                                                                                                                                                                                           | 7. Material Handling Flexibility                                                                           |
|                                                                                                                                                                                                           | 8. Volume Flexibility                                                                                      |

## Appendix A (Continued)

| Authors                                                                                                                                                                                                                                                             | Manufacturing Flexibility Components                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Camisón and López (2010)<br><br>19 industries of Spanish industrial firms from SABI database excluding service, agricultural and energy sector, Spain                                                                                                               | Aggregated manufacturing Flexibility (instrument indicate it was a mixture of mix, modification and volume flexibility)                                                                                 |
| Torres, Jose Benitez-Amado, Perez-Arostegui, and Barrales-Molina (2011)<br><br>SABI database involved 30 industrial sectors, Spain                                                                                                                                  | 1. Routing Flexibility<br>2. Material Handling Flexibility                                                                                                                                              |
| Tamayo-Torres et al. (2011)<br><br>SABI database involved 30 industrial sectors, Spain                                                                                                                                                                              | 1. Routing Flexibility<br>2. Sequence Flexibility (similar to operation flexibility)<br>3. Modification Flexibility<br>4. Material Handling Flexibility<br>5. Machine Flexibility<br>6. Mix Flexibility |
| Rogers et al. (2011)<br><br>Metal fabrication;<br>Electronics;<br>Automotive;<br>Healthcare/medical devices;<br>Aviation/aerospace;<br>Food/beverages;<br>Plastics/rubber;<br>Electrical;<br>Pharmaceuticals/Chemicals;<br>Transportation;<br>Software/Hardware, US | 1. Mix Flexibility<br>2. Volume Flexibility<br>3. Machine Flexibility<br>4. Labor Flexibility<br>5. Routing Flexibility<br>6. Supplier Management flexibility                                           |
| Patel et al. (2012)                                                                                                                                                                                                                                                 | 1. Machine Flexibility<br>2. Labor Flexibility<br>3. Material Handling Flexibility<br>4. Mix Flexibility<br>5. New Product Flexibility                                                                  |
| Al-jawazneh (2012)<br><br>Pharmaceutical, Jordan                                                                                                                                                                                                                    | 1. Machine Flexibility<br>2. Volume Flexibility<br>3. Material Handling Flexibility<br>4. Mix Flexibility<br>5. Routing Flexibility                                                                     |
| Chauhan and Singh (2014)<br><br>Automotive;<br>Machinery;<br>Metal industries, India                                                                                                                                                                                | 1. Resource Flexibility (mixture of labor and machine flexibility)                                                                                                                                      |
| Mendes and Machado (2014)<br><br>Automotive industry;<br>International (Europe, China, Brazil, US, Africa, Central America)                                                                                                                                         | 1. New Product Flexibility<br>2. Mix Flexibility<br>3. Volume Flexibility                                                                                                                               |

## Appendix B: Definitions of Manufacturing Flexibility's Components for Past Study

| Components of Manufacturing Flexibility | Definition                                                                                                                                                                                          | Author(s)                            |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Mix Flexibility</b>                  | The ability of a manufacturing system to switch between different products in the product mix.                                                                                                      | Narasimhan and Das (1999)            |
|                                         | The number and variety of products can be produced without incurring high transition penalties or large changes in performance outcomes.                                                            | Koste (1999)                         |
|                                         | The capability of producing a number of product lines or numerous variations within a line.                                                                                                         | Berry and Cooper (1999)              |
|                                         | The ability of a given manufacturing system to cope with the changes related to product mix.                                                                                                        | Gupta (2004)                         |
|                                         | The ability to change the range of products made within a given time period.                                                                                                                        | Slack (2005)                         |
|                                         | The ability of the system to produce many different products during the same planning period.                                                                                                       | Judi and Beach (2008)                |
|                                         | The ability to offer a broad product line by switching quickly/easily between products.                                                                                                             | Rogers (2008)                        |
|                                         | The ability to produce variety of products.                                                                                                                                                         | Helkiö (2008)                        |
|                                         | The ability to manufacture a wide range of products or variants with expected low changeover costs.                                                                                                 | Fernandes, Gouveia, and Pinho (2012) |
|                                         |                                                                                                                                                                                                     |                                      |
| <b>Volume Flexibility</b>               | The ability to operate an FMS profitably at different production volumes.                                                                                                                           | Browne et al. (1984)                 |
|                                         | The ability to be operated profitably at different overall output levels.                                                                                                                           | Sethi and Sethi (1990)               |
|                                         | The ability to vary production with no detrimental effect on efficiency and quality.                                                                                                                | Suarez et al. (1996)                 |
|                                         | Capability of the system to respond to volume fluctuations and to expand production on short notice beyond normal installed capacity.                                                               | Narasimhan and Das (1999)            |
|                                         | The extent of change and the degree of fluctuation in aggregate output level which the system can accommodate without incurring high transition penalties or large changes in performance outcomes. | Koste (1999)                         |
|                                         | The ability to profitably increase or decrease aggregate production (output) in response to changes in customer demand.                                                                             | Jack (2000)                          |
|                                         | The ability of manufacturing system to overcome changes in the aggregate volume.                                                                                                                    | Gupta (2004)                         |
|                                         | The ability to produce varying levels of output at a profit within a minimum planning period.                                                                                                       | Sawhney (2006)                       |
|                                         | The ability to change the level of aggregated output.                                                                                                                                               | Slack (2005)                         |
|                                         | The ability to operate profitably at different output volumes.                                                                                                                                      | Rogers (2008)                        |
|                                         | The ability to respond to varying levels of aggregate demand.                                                                                                                                       | Helkiö (2008)                        |
|                                         | The ability of the manufacturing system to change the volume or output of a manufacturing process.                                                                                                  | Judi and Beach (2008)                |
|                                         |                                                                                                                                                                                                     |                                      |

## Appendix B (Continued)

| <b>Components of Manufacturing Flexibility</b> | <b>Definition</b>                                                                                                                                                                                                                    | <b>Author(s)</b>                                 |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <b>New Product Flexibility</b>                 | The ability of the manufacturing system to incorporate new product into the existing range of products.                                                                                                                              | Gupta and Somers (1992); Gupta and Somers (1996) |
|                                                | The time starting from the earliest stage of design (customer product definition) and ending in the date when the first production batch of a "salable" product was made, after prototypes and pilot low-volume runs were completed. | Suarez et al. (1996)                             |
|                                                | The number and variety of new products which are introduced into production without incurring high transition penalties or large changes in performance outcomes.                                                                    | Koste (1999)                                     |
|                                                | Capability of the firm to design, prototype, and produce new products to meet stringent time and cost constraints.                                                                                                                   | Narasimhan and Das (1999)                        |
|                                                | The ability to introduce new products into production.                                                                                                                                                                               | Helkiö (2008)                                    |
| <b>Machine Flexibility</b>                     | The ease of making the changes required to produce a given set of part types.                                                                                                                                                        | Browne et al. (1984)                             |
|                                                | Various types of operations that the machine can perform without requiring a prohibitive effort in switching from one operation to another.                                                                                          | Sethi and Sethi (1990)                           |
|                                                | The number and variety of operations a machine performs without incurring high transition penalties or large changes in performance outcomes.                                                                                        | Koste (1999)                                     |
|                                                | The ability of machines to perform variety of processing tasks.                                                                                                                                                                      | Helkiö (2008)                                    |
| <b>Material handling Flexibility</b>           | The ability to move different part types efficiently for proper positioning and processing through the manufacturing facility it serves.                                                                                             | Sethi and Sethi (1990)                           |
|                                                | The ability of the material handling system to move material effectively through the plant.                                                                                                                                          | Narasimhan and Das (1999)                        |
|                                                | The number of existing paths between processing centers and variety of material which can be transported along those paths without incurring high transition penalties or large changes in performance outcomes.                     | Koste (1999)                                     |
|                                                | The ability of material handling system to transport multiple different materials and ability to transport materials via multiple different paths between processing centers.                                                        | Helkiö (2008)                                    |
|                                                | The ability of the material handling system to transport different materials between various processing centers over multiple paths.                                                                                                 | Judi and Beach (2008)                            |

## Appendix B (Continued)

| Components of Manufacturing Flexibility | Definition                                                                                                                                                                                       | Author(s)                           |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>Labor Flexibility</b>                | The number and variety of operations a worker performs without incurring high transition penalties or large changes in performance outcomes.                                                     | Koste (1999)                        |
|                                         | The ability of workers to perform multiple production tasks.                                                                                                                                     | Helkiö (2008)                       |
|                                         | The ability of workers to perform multiple tasks effectively.                                                                                                                                    | Rogers (2008); Rogers et al. (2011) |
| <b>Modification Flexibility</b>         | The number and variety of product modifications that are accomplished without incurring high transition penalties or large changes in performance outcomes.                                      | Koste (1999)                        |
|                                         | The amounts of product modifications which are accomplished without increasing change over time, changeover cost and scheduling efforts while maintain its quality, efficiency and productivity. | Koste and Malhotra (1999b)          |
|                                         | Capability of the system to make minor changes in product design to meet customization demand.                                                                                                   | Narasimhan and Das (1999)           |
|                                         | The ability to accommodate product design changes in production.                                                                                                                                 | Helkiö (2008)                       |
|                                         | The ability to make minor modifications to existing products within a minimum planning period.                                                                                                   | Larso et al. (2009)                 |
| <b>Routing Flexibility</b>              | The ability to handle breakdowns and to continue producing the given set of part types.                                                                                                          | Browne et al. (1984)                |
|                                         | The ability to produce a part by alternate routes through the system.                                                                                                                            | Sethi and Sethi (1990)              |
|                                         | The ability to vary machine visitation sequences for processing a part.                                                                                                                          | Narasimhan and Das (1999)           |
|                                         | The number of parts that have alternate routes and the extent of variation among the routes used without incurring high transition penalties or large changes in performance outcomes.           | Koste (1999)                        |
|                                         | The ability to move different parts between machines/processing centers.                                                                                                                         | Rogers (2008)                       |
|                                         | The ability to change the sequence of machines that perform operations.                                                                                                                          | Helkiö (2008)                       |
|                                         | The ability to vary the path a part may take through the manufacturing system.                                                                                                                   | Nishith et al. (2013)               |
| <b>Delivery Flexibility</b>             | The ability of the system to respond to changes in delivery requests.                                                                                                                            | Vokurka and O'Leary-Kelly (2000)    |
|                                         | The ability to vary delivery schedule                                                                                                                                                            | Chang et al. (2003)                 |
|                                         | The ability to change planned or assumed delivery dates.                                                                                                                                         | Slack (2005)                        |
|                                         | The ability to shorten or lengthen delivery times.                                                                                                                                               | Sawhney (2006)                      |

# Appendix B (Continued)

| <b>Components of Manufacturing Flexibility</b> | <b>Definition</b>                                                                                                                                                                               | <b>Author(s)</b>                 |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| <b>Expansion Flexibility</b>                   | The capability of building a system, and expanding it as needed, easily and modularly.                                                                                                          | Browne et al. (1984)             |
|                                                | The ease with which its capacity and capability can be increased when needed.                                                                                                                   | Sethi and Sethi (1990)           |
|                                                | The ability to expand capacity without prohibitive effort.                                                                                                                                      | Narasimhan and Das (1999)        |
|                                                | The number and variety of expansions which can be accommodated without incurring high transition penalties or large changes in performance outcomes.                                            | Koste (1999)                     |
|                                                | The ability to expand (capacity, capability) production system.                                                                                                                                 | Helkiö (2008)                    |
| <b>Program Flexibility</b>                     | The ability of the system to run virtually untended for a long enough periods.                                                                                                                  | Sethi and Sethi (1990)           |
|                                                | The ability of equipment to run unattended for long periods of time.                                                                                                                            | Narasimhan and Das (1999)        |
| <b>Production Flexibility</b>                  | The universe of part types that the FMS can produce.                                                                                                                                            | Browne et al. (1984)             |
|                                                | The universe of part types that the manufacturing system can produce without adding major capital equipment.                                                                                    | Sethi and Sethi (1990)           |
|                                                | Range of products the system can produce without adding new equipment.                                                                                                                          | Vokurka and O'Leary-Kelly (2000) |
| <b>Market Flexibility</b>                      | The ease with which the manufacturing system can adapt to a changing market environment.                                                                                                        | Sethi and Sethi (1990)           |
|                                                | The ability of the manufacturing system to adapt to or influence market changes.                                                                                                                | Narasimhan and Das (1999)        |
|                                                | The ability to mass customize and build close relationships with customers, including design and modifying new and existing products.                                                           | Duclos et al. (2003)             |
| <b>Operations Flexibility</b>                  | The ability to interchange the ordering of several operations for each part type.                                                                                                               | Browne et al. (1984)             |
|                                                | The ability of a part to be produced in different ways.                                                                                                                                         | Sethi and Sethi (1990)           |
|                                                | The number of parts that have alternate sequencing plans and the variety of the processing sequences used without incurring high transition penalties or large changes in performance outcomes. | Koste (1999)                     |
|                                                | The number of alternative processes or ways in which a part can be produced within the system.                                                                                                  | Vokurka and O'Leary-Kelly (2000) |
|                                                | The ability to change the sequence of operations performed.                                                                                                                                     | Helkiö (2008)                    |
| <b>Supply Management Flexibility</b>           | Suppliers' ability to respond to buyer requests to adjust order quantities without significantly increasing lead time or unit cost.                                                             | Rogers (2008)                    |



## Appendix C: Measurement Items

### Appendix C1: Measurement Items of Manufacturing Flexibility Components

| ID                             | Item                                                                               | Literature                                   |
|--------------------------------|------------------------------------------------------------------------------------|----------------------------------------------|
| <b>Mix Flexibility</b>         |                                                                                    |                                              |
| MX1                            | We economically change from producing one product to another.                      | Das (2001) and Judi and Beach (2008)         |
| MX2                            | We vary the product combination from one period to the next.                       | Al-jawazneh (2012) and Rogers (2008)         |
| MX3                            | We quickly change from producing one product to another.                           | Al-jawazneh (2012) and Judi and Beach (2008) |
| MX4                            | We produce different product types without major changeovers.                      | Al-jawazneh (2012) and Rogers (2008)         |
| MX5                            | We easily change from producing one product to another.                            | Al-jawazneh (2012) and Rogers (2008)         |
| <b>New Product Flexibility</b> |                                                                                    |                                              |
| N1                             | We frequently introduce new products into the production line.                     | Rogers (2008)                                |
| N2                             | The introduction of a new product into the production schedule is easy.            | Koste (1999)                                 |
| N3                             | We quickly add new product(s) into the existing range of products.                 | D'Souza and Williams (2000) and Koste (1999) |
| N4                             | We are able to produce new product types without major changeovers.                | Proposed                                     |
| N5                             | We are able to respond to customer requests for design changes in a given product. | Proposed                                     |
| <b>Labor Flexibility</b>       |                                                                                    |                                              |
| L1                             | Production workers are cross-trained to perform a variety of tasks.                | Koste (1999) and Rogers (2008)               |
| L2                             | Production workers are responsible for more than one task.                         | Chauhan and Singh (2014)                     |
| L3                             | Production workers are able to perform a wide range of operations economically.    | Chauhan and Singh (2014) and Koste (1999)    |
| L4                             | A typical production worker uses different tools effectively.                      | Rogers (2008)                                |
| L5                             | Production workers operate various types of machines.                              | Chang (2004) and Rogers (2008)               |
| L6                             | Production workers can perform tasks which differ greatly from one another.        | Chauhan and Singh (2014) and Koste (1999)    |
| L7                             | We easily assign the production workers another task.                              | Chauhan and Singh (2014)                     |

Appendix C1 (Continued)

| ID                                   | Item                                                                                                          | Literature                                                                                        |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Machine Flexibility</b>           |                                                                                                               |                                                                                                   |
| MC1                                  | Machines are equally reliable for all operations.                                                             | Chauhan and Singh (2014); Koste (1999); Russell and Taylor (2014) and Tamayo-Torres et al. (2011) |
| MC2                                  | Our production prefers to use general-purpose machine, which might be used to perform a number of operations. | Larso et al. (2009); Rogers (2008) and Russell and Taylor (2014)                                  |
| MC3                                  | When one machine is stopped, we can use different type of machine to perform the same tasks.                  | Hirano (1989) and Russell and Taylor (2014)                                                       |
| MC4                                  | Our typical machine performs many types of operations.                                                        | Al-jawazneh (2012); Rogers (2008) and Russell and Taylor (2014)                                   |
| MC5                                  | Machines changeovers between operations are inexpensive.                                                      | Chauhan and Singh (2014) and Koste (1999)                                                         |
| <b>Material Handling Flexibility</b> |                                                                                                               |                                                                                                   |
| MH1                                  | The material handling system can handle a wide variety of parts.                                              | Al-jawazneh (2012); Judi and Beach (2008); Larso et al. (2009) and Tamayo-Torres et al. (2011)    |
| MH2                                  | Material handling changeovers between parts can be done economically.                                         | Judi and Beach (2008)                                                                             |
| MH3                                  | Material handling changeovers between parts can be done quickly.                                              | Al-jawazneh (2012) and Judi and Beach (2008)                                                      |
| MH4                                  | Material handling changeovers between parts can be done easily.                                               | Al-jawazneh (2012) and Judi and Beach (2008)                                                      |
| MH5                                  | Our material handling system handles different types of part.                                                 | Judi and Beach (2008) and Rogers (2008)                                                           |
| MH6                                  | Our material handling system can be reconfigured quickly.                                                     | Al-jawazneh (2012) and Rogers (2008)                                                              |

Appendix C1 (Continued)

| ID                         | Item                                                                         | Literature                                                 |
|----------------------------|------------------------------------------------------------------------------|------------------------------------------------------------|
| <b>Routing Flexibility</b> |                                                                              |                                                            |
| R1                         | The manufacturing system has alternative routes in case machines break down. | Al-jawazneh (2012); Rogers (2008) and Zhang et al. (2003)  |
| R2                         | A typical part operation can be routed to different machines.                | Al-jawazneh (2012) and Rogers (2008)                       |
| R3                         | We use many different routes to produce a product type.                      | Judi and Beach (2008) and Rogers (2008)                    |
| R4                         | We are able to change sequence of steps in production process economically.  | Judi and Beach (2008)                                      |
| R5                         | Machine visitation sequence can be changed quickly.                          | Al-jawazneh (2012) and Rogers (2008)                       |
| R6                         | Routing paths for manufacturing products can be changed economically.        | Koste (1999) and Larso (2004)                              |
| <b>Volume Flexibility</b>  |                                                                              |                                                            |
| V1                         | We run a range of production volumes.                                        | Al-jawazneh (2012); Judi and Beach (2008) and Koste (1999) |
| V2                         | Output rates for all products can be varied.                                 | Al-jawazneh (2012) and Koste (1999)                        |
| V3                         | We are able to increase or decrease our production volume quickly.           | Judi and Beach (2008) and Larso et al. (2009)              |
| V4                         | We are able to run various batch sizes.                                      | Al-jawazneh (2012) and Rogers (2008)                       |
| V5                         | We are able to increase or decrease our production volume easily.            | Al-jawazneh (2012); Koste (1999) and Rogers (2008)         |
| V6                         | We vary total quantity of output from one period to the next.                | Al-jawazneh (2012)                                         |

## Appendix C2: Measurement Items of Manufacturing Performance

| ID                     | Item                                                                                                                                                                                     | Literature                                                  |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <b>Product Quality</b> |                                                                                                                                                                                          |                                                             |
| Q1                     | We are able to produce quality products.                                                                                                                                                 | Al-jawazneh (2012) and Nawanir et al. (2013)                |
| Q2                     | We have superior product quality compared to our competitors'.                                                                                                                           | Nawanir et al. (2013)                                       |
| Q3                     | The percentage of poor quality products that must be scrapped has reduced.                                                                                                               | Nawanir et al. (2013)                                       |
| Q4                     | The percentage of production outputs that do not meet quality specifications has reduced.                                                                                                | Nawanir et al. (2013)                                       |
| Q5                     | The percentage of products that pass final inspection the first time (first-pass yield) has increased.                                                                                   | Nawanir et al. (2013) and Russell and Taylor (2014)         |
| <b>Cost Reduction</b>  |                                                                                                                                                                                          |                                                             |
| CR1                    | Our total manufacturing cost (including labor, material and overhead) to produce the product has reduced.                                                                                | Al-jawazneh (2012) and Das (2001)                           |
| CR2                    | Our unit manufacturing cost has reduced (unit manufacturing cost is the total cost for producing the units divided by the number of units produced).                                     | Al-jawazneh (2012); Nawanir et al. (2013) and Rogers (2008) |
| CR3                    | Our unit manufacturing cost is lower than the competitors.                                                                                                                               | Al-jawazneh (2012) and Nawanir et al. (2013)                |
| CR4                    | Our internal failure costs (i.e., cost of defect, scrap, rework, process failure, and downtime) have reduced.                                                                            | Nawanir et al. (2013) and Rogers (2008)                     |
| CR5                    | Our external failure costs (i.e., complaints, returns, warranty claims, liability and lost sales) have reduced.                                                                          | Nawanir et al. (2013)                                       |
| CR6                    | Our total inventory costs (costs related to storing and maintaining the inventory such as raw materials, work in process, and finished goods over a certain period of time) has reduced. | Sambasivan et al. (2009)                                    |

Appendix C2 (Continued)

| <b>ID</b>                     | <b>Item</b>                                                                                                                        | <b>Literature</b>                                                       |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Lead Time Reduction</b>    |                                                                                                                                    |                                                                         |
| LR1                           | Our manufacturing cycle time (i.e., from raw material to finished goods) is competitive.                                           | Al-jawazneh (2012); Nawanir et al. (2013) and Russell and Taylor (2014) |
| LR2                           | The moving times for materials from storage to workstation have reduced.                                                           | Nawanir et al. (2013) and Russell and Taylor (2014)                     |
| LR3                           | Machine setup times have reduced.                                                                                                  | Nawanir et al. (2013) and Russell and Taylor (2014)                     |
| LR4                           | The times required to perform the productive operations have reduced.                                                              | Nawanir et al. (2013) and Russell and Taylor (2014)                     |
| LR5                           | The moving times for parts between workstations have reduced.                                                                      | Nawanir et al. (2013) and Russell and Taylor (2014)                     |
| LR6                           | The queuing times for parts waiting for the works to begin because another order is being processed at a workstation have reduced. | Nawanir et al. (2013) and Russell and Taylor (2014)                     |
| <b>Productivity</b>           |                                                                                                                                    |                                                                         |
| PT1                           | Productivity of our production line has increased due to more efficient machine setups.                                            | Nawanir et al. (2013)                                                   |
| PT2                           | Productivity of our production line has increased due to more efficient production processes.                                      | Nawanir et al. (2013)                                                   |
| PT3                           | Productivity of our production line has increased due to reduced inputs (such as labor, material and overhead).                    | Nawanir et al. (2013)                                                   |
| PT4                           | Our machine productivity has increased.                                                                                            | Nawanir et al. (2013)                                                   |
| PT5                           | The overall productivity of our production line has been outstanding.                                                              | Nawanir et al. (2013)                                                   |
| <b>Inventory Minimization</b> |                                                                                                                                    |                                                                         |
| IM1                           | Work-in-process (WIP) inventory level has reduced.                                                                                 | Nawanir et al. (2013) and Rogers (2008)                                 |
| IM2                           | Raw material inventory level has reduced.                                                                                          | Nawanir et al. (2013) and Rogers (2008)                                 |
| IM3                           | Finished goods inventory level has reduced.                                                                                        | Nawanir et al. (2013) and Rogers (2008)                                 |
| IM4                           | Overall inventory level has reduced.                                                                                               | Nawanir et al. (2013) and Rogers (2008)                                 |
| IM5                           | Storage space requirement has reduced.                                                                                             | Nawanir et al. (2013)                                                   |

### Appendix C3: Measurement Items of Business Performance

| ID                                | Item                                                                                           | Literature                                                                 |
|-----------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Profitability</b>              |                                                                                                |                                                                            |
| PF1                               | Our revenue growth rate has been outstanding.                                                  | Carton and Hofer (2006); Nawanir et al. (2013) and Santos and Brito (2012) |
| PF2                               | Our ability to earn a profit has exceeded our competitors'.                                    | Carton and Hofer (2006) and Nawanir et al. (2013)                          |
| PF3                               | Our return on investment (ratio of net income to total investment) reflects sound investments. | Carton and Hofer (2006); Nawanir et al. (2013) and Santos and Brito (2012) |
| PF4                               | Our overall financial performance has been outstanding.                                        | Carton and Hofer (2006) and Chearskul (2010)                               |
| <b>Product Market Performance</b> |                                                                                                |                                                                            |
| PM1                               | Our market share has increased significantly.                                                  | Nawanir et al. (2013) and Richard et al. (2009)                            |
| PM2                               | Our market share growth has exceeded our competitors'.                                         | Nawanir et al. (2013) and Richard et al. (2009)                            |
| PM3                               | Our sales (in volume) growth has been outstanding.                                             | Camisón and López (2010); Nawanir et al. (2013) and Richard et al. (2009)  |
| <b>Customer Satisfaction</b>      |                                                                                                |                                                                            |
| CS1                               | Our customer satisfaction performance has exceeded our competitors'.                           | Jack (2000) and Nawanir et al. (2013)                                      |
| CS2                               | Our customers are satisfied with the quality of our products.                                  | Nawanir et al. (2013) and Zhang et al. (2009)                              |
| CS3                               | Our customers are satisfied with our on time delivery performance.                             | Jack (2000) and Nawanir et al. (2013)                                      |
| CS4                               | Our customers are satisfied with our ability to respond to customer changing needs.            | Proposed                                                                   |
| CS5                               | The number of customer complaints has reduced.                                                 | Sambasivan et al. (2009) and (Santos and Brito (2012))                     |

## Appendix D: Letter for Data Collection and Research Work



OTHMAN YEOP ABDULLAH  
GRADUATE SCHOOL OF BUSINESS  
Universiti Utara Malaysia  
06010 UUM SINTOK  
KEDAH DARUL AMAN  
MALAYSIA



Tel: 004 826 7101/71137133  
Fax: (Fax): 004 826 7160  
Laman Web (Web): [www.oysgb.uum.edu.my](http://www.oysgb.uum.edu.my)

KEDAH AMAN MAKMUR • BERSAMA MEMACU TRANSFORMASI

UUM/OYAGSB/R-4/4/1  
03 December 2015

TO WHOM IT MAY CONCERN

Dear Sir/Madam,

### LETTER FOR DATA COLLECTION AND RESEARCH WORK

This is to certify that **Tan Kong Woun (Matric No: 91438)** is a bonafied student of Doctor of Philosophy (PhD), Othman Yeop Abdullah Graduate School of Business, Universiti Utara Malaysia. He is conducting a research entitled **"Manufacturing Flexibility, Manufacturing Performance and Business Performance : An Empirical Study in Malaysia."** under the supervision of Assoc. Prof. Dr. Lim Kong Teong and Assoc. Prof Dr. Siti Norezam B Othman.

In this regard, I hope that you could kindly provide assistance and cooperation for him to successfully complete the research. All the information gathered will be strictly used for academic purposes only.

Your cooperation and assistance is very much appreciated.

Thank you.

**"KNOWLEDGE, VIRTUE, SERVICE"**

Yours faithfully

**ROZITA BINTI RAMLI**

Assistant Registrar  
for Dean

Othman Yeop Abdullah Graduate School of Business

c.c - Supervisor  
- Student's File (91438)





## Appendix E: Survey Questionnaire

### RESEARCH ON MANUFACTURING FLEXIBILITIES AND PERFORMANCE OF MALAYSIA MANUFACTURING COMPANIES

#### General Information:

This is a PhD research to determine the impact of the manufacturing practices, which are consistent with the manufacturing flexibility philosophy, on organizational performance. The researchers believed that the outcome of this research will be of immense benefits to improve the performance in the Malaysia manufacturing sector. Your effort in filling the questionnaire is highly appreciated in order to produce a quality research.

#### General Instruction:

The questionnaire consists of four sections. Please read the items carefully before answering. You are expected to choose the answer that represents your opinion. Your answer plays an important role in the success of this study and you are assured that such information will be treated with **utmost confidentiality**. Please tick, circle the appropriate answer or complete the answer in the space provided.

Thanks for your participation.

**Tan Kong Woun**  
PhD Candidate

[goodiestan2002@yahoo.com](mailto:goodiestan2002@yahoo.com) +60129839575

**Assoc. Prof. Dr. Lim Kong Teong**  
Main Supervisor

[ktlim@uum.edu.my](mailto:ktlim@uum.edu.my) +6049286952

**Assoc. Prof. Dr. Siti Norezam Othman**  
Co-supervisor

+6049286954



## Section One: Company's Background Information

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b><u>Nature of your business</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Basic metals and fabricated metal products<br/> <input type="checkbox"/> Machinery &amp; Equipment<br/> <input type="checkbox"/> Electronic, electrical equipment and components </div> <div style="width: 48%;"> <input type="checkbox"/> Chemicals and Chemical Products<br/> <input type="checkbox"/> Food Products and Beverages<br/> <input type="checkbox"/> Others (please specify): _____ </div> </div>                                                                                                                                                                                                                                   |  |
| <b><u>Company's ownership</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> State owned enterprise<br/> <input type="checkbox"/> Private enterprise<br/> <input type="checkbox"/> Foreign invested enterprise </div> <div style="width: 48%;"> <input type="checkbox"/> Joint venture<br/> <input type="checkbox"/> Others (please specify): _____ </div> </div>                                                                                                                                                                                                                                                                                                                                                                  |  |
| <b><u>Number of employees</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <input type="checkbox"/> &lt;50 employees<br/> <input type="checkbox"/> 150 - 199 employees </div> <div style="width: 30%;"> <input type="checkbox"/> 50 – 99 employees<br/> <input type="checkbox"/> 200 – 499 employees </div> <div style="width: 30%;"> <input type="checkbox"/> 100 – 149 employees<br/> <input type="checkbox"/> 500 employees and above </div> </div>                                                                                                                                                                                                                                                                                                    |  |
| <b><u>Annual sales 2015</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Less than RM 10 million<br/> <input type="checkbox"/> RM 10 million – RM 25 million </div> <div style="width: 48%;"> <input type="checkbox"/> More than RM 25 million to RM50 million<br/> <input type="checkbox"/> More than RM50 million </div> </div>                                                                                                                                                                                                                                                                                                                                                                                                |  |
| <b><u>Products Manufactured (please specify):</u></b><br><div style="border-bottom: 1px solid black; height: 15px; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; height: 15px; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; height: 15px;"></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <b><u>Which of the following process type best represent your production process?</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Job shop process<br/> (Low production volume, High variety)<br/><br/> <input type="checkbox"/> Batch process<br/> (Medium production volume, Medium variety)<br/><br/> <input type="checkbox"/> Repetitive process<br/> (High production volume, Low variety) </div> <div style="width: 48%;"> <input type="checkbox"/> Continuous flow process<br/> (Very High production volume, No variety)<br/><br/> <input type="checkbox"/> Mass Customization process<br/> (Very High production volume, High variety)<br/><br/> <input type="checkbox"/> Others (please specify): _____ </div> </div> |  |
| <b><u>Your position in the company</u></b><br><input type="checkbox"/> Director of production/manufacturing<br><input type="checkbox"/> Head of production/manufacturing department<br><input type="checkbox"/> Manager of production/manufacturing<br><input type="checkbox"/> Others (please specify): _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| <b><u>How long have you been working in this company?</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Less than 3 years<br/> <input type="checkbox"/> 3 – 5 years </div> <div style="width: 48%;"> <input type="checkbox"/> 6 – 10 years<br/> <input type="checkbox"/> More than 10 years </div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
| <b><u>How long have you been in the current position?</u></b><br><div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Less than 1 year<br/> <input type="checkbox"/> 1 – 3 years </div> <div style="width: 48%;"> <input type="checkbox"/> 4 – 10 years<br/> <input type="checkbox"/> More than 10 years </div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                          |  |

## Section Two: Manufacturing Flexibility

### Direction:

This section focuses on the level of manufacturing flexibility capabilities in your manufacturing system. It addresses the components of Manufacturing Flexibility representing each of the dimensions.

On the following scale, please evaluate the level of mix flexibility and new product flexibility in your manufacturing system by circling the appropriate number.

| Strongly Disagree | Disagree | Somewhat disagree | Somewhat agree | Agree | Strongly Agree |
|-------------------|----------|-------------------|----------------|-------|----------------|
| 1                 | 2        | 3                 | 4              | 5     | 6              |

| Items/Statements                                                                                                                               | Level of Agreement |   |   |   |   |   |
|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|
| <b>A. Mix Flexibility</b> – The ability of the manufacturing system to switch between different products in the product mix.                   |                    |   |   |   |   |   |
| 1. We economically change from producing one product to another.                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. We vary the product combination from one period to the next.                                                                                | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. We quickly change from producing one product to another.                                                                                    | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. We produce different product types without major changeovers.                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. We easily change from producing one product to another.                                                                                     | 1                  | 2 | 3 | 4 | 5 | 6 |
| Universiti Utara Malaysia                                                                                                                      |                    |   |   |   |   |   |
| <b>B. New Product Flexibility</b> – The ability of the manufacturing system to incorporate new product(s) into the existing range of products. |                    |   |   |   |   |   |
| 1. We frequently introduce new products into the production line.                                                                              | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. The introduction of a new product into the production schedule is easy.                                                                     | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. We quickly add new product(s) into the existing range of products.                                                                          | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. We are able to produce new product types without major changeovers.                                                                         | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. We are able to respond to customer requests for design changes in a given product.                                                          | 1                  | 2 | 3 | 4 | 5 | 6 |

On the following scale, please evaluate the level of labor flexibility and machine flexibility in your manufacturing system by circling the appropriate number.

| Strongly Disagree | Disagree | Somewhat disagree | Somewhat agree | Agree | Strongly Agree |
|-------------------|----------|-------------------|----------------|-------|----------------|
| 1                 | 2        | 3                 | 4              | 5     | 6              |

| Items/Statements                                                                                                                                    | Level of Agreement |   |   |   |   |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|
|                                                                                                                                                     |                    |   |   |   |   |   |
| <b>C. Labor Flexibility</b> – The ability of production workers to perform more than one task in the manufacturing system.                          |                    |   |   |   |   |   |
| 1. <del>Production workers are cross-trained to perform a variety of tasks.</del>                                                                   | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Production workers are responsible for more than one task.                                                                                       | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Production workers are able to perform a wide range of operations economically.                                                                  | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. A typical production worker uses different tools effectively.                                                                                    | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. Production workers operate various types of machines.                                                                                            | 1                  | 2 | 3 | 4 | 5 | 6 |
| 6. Production workers can perform tasks which differ greatly from one another.                                                                      | 1                  | 2 | 3 | 4 | 5 | 6 |
| 7. We easily assign the production workers another task.                                                                                            | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                                                                     |                    |   |   |   |   |   |
| <b>D. Machine Flexibility</b> – The ability of the manufacturing machine to perform more than one operation to produce different parts or products. |                    |   |   |   |   |   |
| 1. Machines are equally reliable for all operations.                                                                                                | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Our production prefers to use general-purpose machine, which might be used to perform a number of operations.                                    | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. When one machine is stopped, we can use different type of machine to perform the same tasks.                                                     | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. Our typical machine performs many types of operations.                                                                                           | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. <del>Machines changeovers between operations are inexpensive.</del>                                                                              | 1                  | 2 | 3 | 4 | 5 | 6 |

**Remark:** Strikethrough sentences are omitted items with factor loading less than 0.70 (refer Table 4.8)

On the following scale, please evaluate the level of material handling flexibility, routing flexibility and volume flexibility in your manufacturing system by circling the appropriate number.

| Strongly Disagree | Disagree | Somewhat disagree | Somewhat agree | Agree | Strongly Agree |
|-------------------|----------|-------------------|----------------|-------|----------------|
| 1                 | 2        | 3                 | 4              | 5     | 6              |

| Items/Statements                                                                                                                       | Level of Agreement |   |   |   |   |   |
|----------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|
| <b>E. Material Handling Flexibility</b> – The ability of material handling system to handle various types of material.                 |                    |   |   |   |   |   |
| 1. The material handling system can handle a wide variety of parts.                                                                    | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Material handling changeovers between parts can be done :                                                                           | 1                  | 2 | 3 | 4 | 5 | 6 |
| a. economically.                                                                                                                       | 1                  | 2 | 3 | 4 | 5 | 6 |
| b. quickly                                                                                                                             | 1                  | 2 | 3 | 4 | 5 | 6 |
| c. easily                                                                                                                              | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Our material handling system handles different types of part.                                                                       | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. Our material handling system can be reconfigured quickly.                                                                           | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                                                        |                    |   |   |   |   |   |
| <b>F. Routing Flexibility</b> – The ability of the manufacturing system to manufacture products through a variety of different routes. |                    |   |   |   |   |   |
| 1. The manufacturing system has alternative routes in case machines break down                                                         | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. A typical part operation can be routed to different machines.                                                                       | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. We use many different routes to produce a product type.                                                                             | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. We are able to change sequence of steps in production process economically                                                          | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. Machine visitation sequence can be changed quickly.                                                                                 | 1                  | 2 | 3 | 4 | 5 | 6 |
| 6. Routing paths for manufacturing products can be changed economically.                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                                                        |                    |   |   |   |   |   |
| <b>G. Volume flexibility</b> – The ability of the manufacturing system to alter the output volume of a manufacturing process.          |                    |   |   |   |   |   |
| <del>1. We run a range of production volumes.</del>                                                                                    | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Output rates for all products can be varied.                                                                                        | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. We are able to increase or decrease our production volume quickly.                                                                  | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. We are able to run various batch sizes.                                                                                             | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. We are able to increase or decrease our production volume easily.                                                                   | 1                  | 2 | 3 | 4 | 5 | 6 |
| <del>6. We vary total quantity of output from one period to the next.</del>                                                            | 1                  | 2 | 3 | 4 | 5 | 6 |

**Remark:** Strikethrough sentences are omitted items with factor loading less than 0.70 (refer Table 4.8)

## Section Three: Manufacturing Performance

### Directions:

This section focuses on the manufacturing performance of your plant during the past three years. It examines the level of manufacturing performance of the plant through five main perspectives of achievements namely product quality, cost reduction, lead time reduction, productivity and inventory minimization.

On the following scale, please circle the appropriate number which best reflect your perception.

| Strongly Disagree | Disagree | Somewhat disagree | Somewhat agree | Agree | Strongly Agree |
|-------------------|----------|-------------------|----------------|-------|----------------|
| 1                 | 2        | 3                 | 4              | 5     | 6              |

| Items/Statements                                                                                                                                                                            | Level of Agreement |   |   |   |   |   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|
| A. Product Quality                                                                                                                                                                          |                    |   |   |   |   |   |
| 1. We are able to produce quality products.                                                                                                                                                 | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. We have superior product quality compared to our competitors’.                                                                                                                           | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. The percentage of poor quality products that must be scrapped has reduced.                                                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. The percentage of production outputs that do not meet quality specifications has reduced.                                                                                                | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. The percentage of products that pass final inspection the first time (first-pass yield) has increased.                                                                                   | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                                                                                                             |                    |   |   |   |   |   |
| B. Cost Reduction                                                                                                                                                                           |                    |   |   |   |   |   |
| 1. Our total manufacturing cost (including labor, material and overhead) to produce the product has reduced.                                                                                | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Our unit manufacturing cost has reduced (unit manufacturing cost is the total cost for producing the units divided by the number of units produced).                                     | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Our unit manufacturing cost is lower than the competitors.                                                                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. Our internal failure costs (i.e., cost of defect, scrap, rework, process failure, and downtime) have reduced.                                                                            | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. Our external failure costs (i.e., complaints, returns, warranty claims, liability and lost sales) have reduced.                                                                          | 1                  | 2 | 3 | 4 | 5 | 6 |
| 6. Our total inventory costs (costs related to storing and maintaining the inventory such as raw materials, work in-process, and finished goods over a certain period of time) has reduced. | 1                  | 2 | 3 | 4 | 5 | 6 |

**Remark:** Strikethrough sentences are omitted items with factor loading less than 0.70 (refer Table 4.9)

On the following scale, please circle the appropriate number which best reflect your perception.

| Strongly Disagree | Disagree | Somewhat disagree | Somewhat agree | Agree | Strongly Agree |
|-------------------|----------|-------------------|----------------|-------|----------------|
| 1                 | 2        | 3                 | 4              | 5     | 6              |

| Items/Statements                                                                                                                      | Level of Agreement |   |   |   |   |   |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|
|                                                                                                                                       |                    |   |   |   |   |   |
| <b>C. Lead time reduction</b>                                                                                                         |                    |   |   |   |   |   |
| 1. <del>Our manufacturing cycle time (from raw material to finished goods) is competitive.</del>                                      | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. The moving times for materials from storage to workstation have reduced.                                                           | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Machine setup times have reduced.                                                                                                  | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. The times required to perform the productive operations have reduced.                                                              | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. The moving times for parts between workstations have reduced.                                                                      | 1                  | 2 | 3 | 4 | 5 | 6 |
| 6. The queuing times for parts waiting for the works to begin because another order is being processed at a workstation have reduced. | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                                                       |                    |   |   |   |   |   |
| <b>D. Productivity</b>                                                                                                                |                    |   |   |   |   |   |
| 1. Productivity of our production line has increased due to:                                                                          |                    |   |   |   |   |   |
| a. More efficient machine setups                                                                                                      | 1                  | 2 | 3 | 4 | 5 | 6 |
| b. More efficient production processes.                                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| c. Reduced inputs (such as labor, material and overhead)                                                                              | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Our machine productivity has increased.                                                                                            | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. The overall productivity of our production line has been outstanding.                                                              | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                                                       |                    |   |   |   |   |   |
| <b>E. Inventory Minimization</b>                                                                                                      |                    |   |   |   |   |   |
| 1. Work-in-process (WIP) inventory level has reduced.                                                                                 | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. <del>Raw material inventory level has reduced.</del>                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Finished goods inventory level has reduced.                                                                                        | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. Overall inventory level has reduced.                                                                                               | 1                  | 2 | 3 | 4 | 5 | 6 |
| 5. Storage space requirement has reduced.                                                                                             | 1                  | 2 | 3 | 4 | 5 | 6 |

**Remark: Strikethrough sentences are omitted items with factor loading less than 0.70 (refer Table 4.9)**

## Section Four: Business Performance

### Directions:

This section focuses on the business performance of your plant during the past three years. It examines the level of business performance of the plant through three main perspectives of achievements namely profitability, product market performance, and customer satisfaction.

On the following scale, please circle the appropriate number which best reflect your perception on profitability, sales and customer satisfaction for your plant.



| Strongly Disagree | Disagree | Somewhat disagree | Somewhat agree | Agree | Strongly Agree |
|-------------------|----------|-------------------|----------------|-------|----------------|
| 1                 | 2        | 3                 | 4              | 5     | 6              |

| Items/Statements                                                                                  | Level of Agreement |   |   |   |   |   |
|---------------------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|
| <b>A. Profitability</b>                                                                           |                    |   |   |   |   |   |
| 1. Our revenue growth rate has been outstanding.                                                  | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Our ability to earn a profit has exceeded our competitors’.                                    | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Our return on investment (ratio of net income to total investment) reflects sound investments. | 1                  | 2 | 3 | 4 | 5 | 6 |
| 4. Our overall financial performance has been outstanding.                                        | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                   |                    |   |   |   |   |   |
| <b>B. Product Market Performance</b>                                                              |                    |   |   |   |   |   |
| 1. Our market share has increased significantly.                                                  | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Our market share growth has exceeded our competitors’.                                         | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. Our sales (in volume) growth has been outstanding.                                             | 1                  | 2 | 3 | 4 | 5 | 6 |
|                                                                                                   |                    |   |   |   |   |   |
| <b>C. Customer Satisfaction</b>                                                                   |                    |   |   |   |   |   |
| 1. Our customer satisfaction performance has exceeded our competitors’.                           | 1                  | 2 | 3 | 4 | 5 | 6 |
| 2. Our customers are satisfied with:<br>(a) The quality of our products.                          | 1                  | 2 | 3 | 4 | 5 | 6 |
| (b) Our on time delivery performance.                                                             | 1                  | 2 | 3 | 4 | 5 | 6 |
| (c) Our ability to respond to customer changing needs.                                            | 1                  | 2 | 3 | 4 | 5 | 6 |
| 3. The number of customer complaints has reduced.                                                 | 1                  | 2 | 3 | 4 | 5 | 6 |



*Please send this completed survey booklet in the enclosed self-address envelope provided.  
Thank you for your participation and your time in answering the survey.*



**Remark:** Strikethrough sentences are omitted items with factor loading less than 0.70 (refer Table 4.9)



## Appendix F: Normal Probability Plots


























**UUM**  
Universiti Utara Malaysia

## Appendix G: Regression Analysis Manufacturing Flexibility Components on Manufacturing Performance

### Quality

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Qua

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .761 <sup>a</sup> | .579     | .557              | .49512                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 43.554         | 7   | 6.222       | 25.381 | .000 <sup>b</sup> |
|       | Residual   | 31.624         | 129 | .245        |        |                   |
|       | Total      | 75.177         | 136 |             |        |                   |

a. Dependent Variable: Qua

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | 1.206                       | .305       |                           | 3.961  | .000 |
|       | Mix        | .271                        | .063       | .298                      | 4.334  | .000 |
|       | New        | -.218                       | .070       | -.251                     | -3.115 | .002 |
|       | Labor      | -.201                       | .103       | -.203                     | -1.956 | .053 |
|       | Mach       | -.187                       | .080       | -.201                     | -2.326 | .022 |
|       | MHan       | .558                        | .105       | .538                      | 5.339  | .000 |
|       | Rou        | .314                        | .081       | .332                      | 3.872  | .000 |
|       | Vol        | .254                        | .093       | .274                      | 2.721  | .007 |

a. Dependent Variable: Qua

### Cost Reduction

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Cost

b. All requested variables entered.



**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .764 <sup>a</sup> | .583     | .561              | .45894                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 38.010         | 7   | 5.430       | 25.781 | .000 <sup>b</sup> |
|       | Residual   | 27.171         | 129 | .211        |        |                   |
|       | Total      | 65.181         | 136 |             |        |                   |

a. Dependent Variable: Cost

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | 1.097                       | .282       |                           | 3.885  | .000 |
|       | Mix        | .078                        | .058       | .092                      | 1.352  | .179 |
|       | New        | .051                        | .065       | .063                      | .791   | .431 |
|       | Labor      | .108                        | .095       | .117                      | 1.133  | .259 |
|       | Mach       | -.247                       | .074       | -.285                     | -3.317 | .001 |
|       | MHan       | .121                        | .097       | .125                      | 1.250  | .213 |
|       | Rou        | .485                        | .075       | .550                      | 6.448  | .000 |
|       | Vol        | .143                        | .087       | .166                      | 1.651  | .101 |

a. Dependent Variable: Cost

## Lead Time Reduction

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> |                   | Enter  |

a. Dependent Variable: Lead

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .761 <sup>a</sup> | .579     | .556              | .38361                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 26.067         | 7   | 3.724       | 25.306 | .000 <sup>b</sup> |
|       | Residual   | 18.983         | 129 | .147        |        |                   |
|       | Total      | 45.051         | 136 |             |        |                   |

a. Dependent Variable: Lead

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | 1.435                       | .236       |                           | 6.084  | .000 |
|       | Mix        | .221                        | .049       | .313                      | 4.556  | .000 |
|       | New        | .226                        | .054       | .336                      | 4.168  | .000 |
|       | Labor      | .020                        | .080       | .026                      | .249   | .804 |
|       | Mach       | -.264                       | .062       | -.368                     | -4.252 | .000 |
|       | MHan       | .300                        | .081       | .373                      | 3.702  | .000 |
|       | Rou        | .117                        | .063       | .160                      | 1.868  | .064 |
|       | Vol        | .046                        | .072       | .063                      | .628   | .531 |

a. Dependent Variable: Lead

## Productivity

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Prod

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .780 <sup>a</sup> | .608     | .587              | .44591                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 39.786         | 7   | 5.684       | 28.585 | .000 <sup>b</sup> |
|       | Residual   | 25.650         | 129 | .199        |        |                   |
|       | Total      | 65.436         | 136 |             |        |                   |

a. Dependent Variable: Prod

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t     | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
|       |            | B                           | Std. Error | Beta                      |       |      |
| 1     | (Constant) | .682                        | .274       |                           | 2.488 | .014 |
|       | Mix        | .112                        | .056       | .131                      | 1.979 | .050 |
|       | New        | .051                        | .063       | .063                      | .805  | .422 |
|       | Labor      | .057                        | .093       | .062                      | .616  | .539 |
|       | Mach       | -.034                       | .072       | -.040                     | -.475 | .636 |
|       | MHan       | .327                        | .094       | .338                      | 3.475 | .001 |
|       | Rou        | .266                        | .073       | .301                      | 3.645 | .000 |
|       | Vol        | .079                        | .084       | .091                      | .939  | .349 |

a. Dependent Variable: Prod

## Inventory Minimization

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: InMi

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .710 <sup>a</sup> | .504     | .477              | .46166                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 27.883         | 7   | 3.983       | 18.690 | .000 <sup>b</sup> |
|       | Residual   | 27.494         | 129 | .213        |        |                   |
|       | Total      | 55.377         | 136 |             |        |                   |

a. Dependent Variable: InMi

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | 1.141                       | .284       |                           | 4.018  | .000 |
|       | Mix        | .216                        | .058       | .276                      | 3.702  | .000 |
|       | New        | .061                        | .065       | .082                      | .933   | .352 |
|       | Labor      | .145                        | .096       | .171                      | 1.516  | .132 |
|       | Mach       | -.031                       | .075       | -.038                     | -.409  | .683 |
|       | MHan       | -.100                       | .097       | -.112                     | -1.023 | .308 |
|       | Rou        | .204                        | .076       | .251                      | 2.701  | .008 |
|       | Vol        | .205                        | .087       | .257                      | 2.349  | .020 |

a. Dependent Variable: InMi

## Appendix H: Regression Analysis Manufacturing Flexibility Components on Business Performance

### Profitability

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Profit

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .825 <sup>a</sup> | .681     | .663              | .46042                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 58.306         | 7   | 8.329       | 39.292 | .000 <sup>b</sup> |
|       | Residual   | 27.346         | 129 | .212        |        |                   |
|       | Total      | 85.652         | 136 |             |        |                   |

a. Dependent Variable: Profit

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | -.240                       | .283       |                           | -.848  | .398 |
|       | Mix        | .409                        | .058       | .420                      | 7.020  | .000 |
|       | New        | .070                        | .065       | .076                      | 1.077  | .283 |
|       | Labor      | .096                        | .096       | .091                      | 1.008  | .315 |
|       | Mach       | -.213                       | .075       | -.215                     | -2.860 | .005 |
|       | MHan       | .283                        | .097       | .256                      | 2.913  | .004 |
|       | Rou        | .350                        | .075       | .346                      | 4.641  | .000 |
|       | Vol        | .056                        | .087       | .056                      | .639   | .524 |

a. Dependent Variable: Profit

## Product Market Performance

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Market

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .792 <sup>a</sup> | .627     | .607              | .49703                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 53.661         | 7   | 7.666       | 31.030 | .000 <sup>b</sup> |
|       | Residual   | 31.869         | 129 | .247        |        |                   |
|       | Total      | 85.529         | 136 |             |        |                   |

a. Dependent Variable: Market

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | .106                        | .306       |                           | .347   | .729 |
|       | Mix        | .532                        | .063       | .547                      | 8.458  | .000 |
|       | New        | .081                        | .070       | .087                      | 1.151  | .252 |
|       | Labor      | -.034                       | .103       | -.032                     | -.328  | .743 |
|       | Mach       | -.384                       | .081       | -.388                     | -4.771 | .000 |
|       | MHan       | .216                        | .105       | .195                      | 2.058  | .042 |
|       | Rou        | .567                        | .081       | .562                      | 6.971  | .000 |
|       | Vol        | -.058                       | .094       | -.058                     | -.614  | .540 |

a. Dependent Variable: Market

## Customer Satisfaction

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                                  | Variables Removed | Method |
|-------|----------------------------------------------------|-------------------|--------|
| 1     | Vol, Mix, New, Rou, Mach, MHan, Labor <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: CSatis

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .746 <sup>a</sup> | .557     | .533              | .48994                     |

a. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 38.890         | 7   | 5.556       | 23.145 | .000 <sup>b</sup> |
|       | Residual   | 30.965         | 129 | .240        |        |                   |
|       | Total      | 69.855         | 136 |             |        |                   |

a. Dependent Variable: CSatis

b. Predictors: (Constant), Vol, Mix, New, Rou, Mach, MHan, Labor

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t     | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|
|       |            | B                           | Std. Error | Beta                      |       |      |
| 1     | (Constant) | .677                        | .301       |                           | 2.246 | .026 |
|       | Mix        | .228                        | .062       | .259                      | 3.677 | .000 |
|       | New        | -.004                       | .069       | -.005                     | -.059 | .953 |
|       | Labor      | -.074                       | .102       | -.077                     | -.726 | .469 |
|       | Mach       | .134                        | .079       | .149                      | 1.682 | .095 |
|       | MHan       | .289                        | .103       | .289                      | 2.798 | .006 |
|       | Rou        | .210                        | .080       | .230                      | 2.617 | .010 |
|       | Vol        | .082                        | .092       | .092                      | .885  | .378 |

a. Dependent Variable: CSatis

## Appendix I: Regression Analysis Manufacturing Performance Indicators on Business Performance

### Profitability

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                        | Variables Removed | Method |
|-------|------------------------------------------|-------------------|--------|
| 1     | InMi, Qua, Lead, Cost, Prod <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Profit

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .874 <sup>a</sup> | .763     | .754              | .39329                     |

a. Predictors: (Constant), InMi, Qua, Lead, Cost, Prod

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 65.389         | 5   | 13.078      | 84.548 | .000 <sup>b</sup> |
|       | Residual   | 20.263         | 131 | .155        |        |                   |
|       | Total      | 85.652         | 136 |             |        |                   |

a. Dependent Variable: Profit

b. Predictors: (Constant), InMi, Qua, Lead, Cost, Prod

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | -1.122                      | .281       |                           | -3.994 | .000 |
|       | Qua        | .141                        | .068       | .132                      | 2.080  | .039 |
|       | Cost       | .059                        | .078       | .052                      | .762   | .448 |
|       | Lead       | .494                        | .091       | .359                      | 5.424  | .000 |
|       | Prod       | .185                        | .104       | .162                      | 1.781  | .077 |
|       | InMi       | .376                        | .088       | .302                      | 4.264  | .000 |

a. Dependent Variable: Profit

## Product Market Performance

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                        | Variables Removed | Method |
|-------|------------------------------------------|-------------------|--------|
| 1     | InMi, Qua, Lead, Cost, Prod <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: Market

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .682 <sup>a</sup> | .466     | .445              | .59064                     |

a. Predictors: (Constant), InMi, Qua, Lead, Cost, Prod

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 39.829         | 5   | 7.966       | 22.834 | .000 <sup>b</sup> |
|       | Residual   | 45.700         | 131 | .349        |        |                   |
|       | Total      | 85.529         | 136 |             |        |                   |

a. Dependent Variable: Market

b. Predictors: (Constant), InMi, Qua, Lead, Cost, Prod

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | -.354                       | .422       |                           | -.838  | .403 |
|       | Qua        | .186                        | .102       | .174                      | 1.822  | .071 |
|       | Cost       | .269                        | .117       | .235                      | 2.299  | .023 |
|       | Lead       | .490                        | .137       | .356                      | 3.580  | .000 |
|       | Prod       | -.220                       | .156       | -.192                     | -1.411 | .161 |
|       | InMi       | .293                        | .133       | .236                      | 2.213  | .029 |

a. Dependent Variable: Market



## Customer Satisfaction

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered                        | Variables Removed | Method |
|-------|------------------------------------------|-------------------|--------|
| 1     | InMi, Qua, Lead, Cost, Prod <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: CSatis

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .830 <sup>a</sup> | .689     | .677              | .40742                     |

a. Predictors: (Constant), InMi, Qua, Lead, Cost, Prod

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 48.110         | 5   | 9.622       | 57.969 | .000 <sup>b</sup> |
|       | Residual   | 21.744         | 131 | .166        |        |                   |
|       | Total      | 69.855         | 136 |             |        |                   |

a. Dependent Variable: CSatis

b. Predictors: (Constant), InMi, Qua, Lead, Cost, Prod

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | .011                        | .291       |                           | .037   | .971 |
|       | Qua        | .381                        | .070       | .395                      | 5.421  | .000 |
|       | Cost       | -.120                       | .081       | -.116                     | -1.491 | .138 |
|       | Lead       | .076                        | .094       | .061                      | .808   | .420 |
|       | Prod       | .278                        | .108       | .269                      | 2.584  | .011 |
|       | InMi       | .368                        | .091       | .327                      | 4.022  | .000 |

a. Dependent Variable: CSatis

## Appendix J: Multicollinearity Diagnostics Results

**Coefficients<sup>a</sup>**

| Model |       | Collinearity Statistics |       |
|-------|-------|-------------------------|-------|
|       |       | Tolerance               | VIF   |
| 1     | Mix   | .691                    | 1.448 |
|       | New   | .502                    | 1.991 |
|       | Labor | .303                    | 3.303 |
|       | Mach  | .436                    | 2.291 |
|       | MHan  | .321                    | 3.111 |
|       | Rou   | .445                    | 2.248 |
|       | Vol   | .321                    | 3.117 |

a. Dependent Variable: Qua

**Coefficients<sup>a</sup>**

| Model |      | Collinearity Statistics |       |
|-------|------|-------------------------|-------|
|       |      | Tolerance               | VIF   |
| 1     | Qua  | .447                    | 2.238 |
|       | Cost | .392                    | 2.554 |
|       | Lead | .413                    | 2.420 |
|       | Prod | .219                    | 4.556 |
|       | InMi | .359                    | 2.787 |

a. Dependent Variable: Market

## Appendix K: Results of Principal Components Analysis

### Principal Components Analysis of Manufacturing Flexibility

Data variables:

Mix  
New  
Labor  
Mach  
MHan  
Rou  
Vol

Data input: observations

Number of complete cases: 137

Missing value treatment: listwise

Standardized: yes

Number of components extracted: 7

#### Principal Components Analysis

| Component Number | Eigenvalue | Percent of Variance | Cumulative Percentage |
|------------------|------------|---------------------|-----------------------|
| 1                | 4.46171    | 63.739              | 63.739                |
| 2                | 0.788695   | 11.267              | 75.006                |
| 3                | 0.548527   | 7.836               | 82.842                |
| 4                | 0.405489   | 5.793               | 88.635                |
| 5                | 0.326711   | 4.667               | 93.302                |
| 6                | 0.263627   | 3.766               | 97.068                |
| 7                | 0.205243   | 2.932               | 100.000               |

#### The StatAdvisor

This procedure performs a principal components analysis. The purpose of the analysis is to obtain a small number of linear combinations of the 7 variables which account for most of the variability in the data. In this case, 7 components have been extracted, since 7 components had eigenvalues greater than or equal to 0.0. Together they account for 100.0% of the variability in the original data.

#### Table of Component Weights

|       | Component 1 | Component 2 | Component 3 | Component 4 | Component 5 | Component 6 | Component 7 |
|-------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Mix   | 0.274282    | -0.885963   | 0.0308343   | -0.0567852  | -0.34986    | -0.111975   | 0.026886    |
| New   | 0.36042     | 0.292941    | 0.598943    | -0.534735   | -0.232957   | -0.285662   | -0.0611344  |
| Labor | 0.407085    | 0.0884496   | -0.488175   | -0.0876286  | 0.0533565   | -0.138789   | -0.747231   |
| Mach  | 0.383092    | -0.17282    | 0.44768     | 0.349118    | 0.698941    | 0.0433734   | -0.103316   |
| MHan  | 0.405207    | 0.068114    | -0.443198   | -0.206783   | 0.295296    | -0.335866   | 0.626081    |
| Rou   | 0.380641    | 0.28491     | 0.0268525   | 0.710501    | -0.48248    | -0.13585    | 0.131011    |
| Vol   | 0.416304    | 0.0758391   | -0.066624   | -0.183575   | -0.109442   | 0.868017    | 0.131792    |

#### The StatAdvisor

This table shows the equations of the principal components. For example, the first principal component has the equation

$$0.274282 \cdot \text{Mix} + 0.36042 \cdot \text{New} + 0.407085 \cdot \text{Labor} + 0.383092 \cdot \text{Mach} + 0.405207 \cdot \text{MHan} + 0.380641 \cdot \text{Rou} + 0.416304 \cdot \text{Vol}$$

where the values of the variables in the equation are standardized by subtracting their means and dividing by their standard deviations.

## Principal Components Analysis of Manufacturing Performance

Data variables:

Qua  
Cost  
Lead  
Prod  
InMi

Data input: observations

Number of complete cases: 137

Missing value treatment: listwise

Standardized: yes

Number of components extracted: 5

### Principal Components Analysis

| Component Number | Eigenvalue | Percent of Variance | Cumulative Percentage |
|------------------|------------|---------------------|-----------------------|
| 1                | 3.64856    | 72.971              | 72.971                |
| 2                | 0.571364   | 11.427              | 84.398                |
| 3                | 0.325271   | 6.505               | 90.904                |
| 4                | 0.287547   | 5.751               | 96.655                |
| 5                | 0.167261   | 3.345               | 100.000               |

### The StatAdvisor

This procedure performs a principal components analysis. The purpose of the analysis is to obtain a small number of linear combinations of the 5 variables which account for most of the variability in the data. In this case, 5 components have been extracted, since 5 components had eigenvalues greater than or equal to 0.0. Together they account for 100.0% of the variability in the original data.

### Table of Component Weights

|      | Component 1 | Component 2 | Component 3 | Component 4 | Component 5 |
|------|-------------|-------------|-------------|-------------|-------------|
| Qua  | 0.418651    | -0.660038   | 0.423611    | 0.38872     | -0.241934   |
| Cost | 0.445647    | -0.364399   | -0.493501   | -0.639597   | -0.126434   |
| Lead | 0.434078    | 0.503688    | 0.591726    | -0.396731   | -0.224365   |
| Prod | 0.48788     | 0.0702091   | -0.00294378 | 0.132211    | 0.859974    |
| InMi | 0.446855    | 0.415851    | -0.476301   | 0.514722    | -0.368223   |

### The StatAdvisor

This table shows the equations of the principal components. For example, the first principal component has the equation

$$0.418651 \cdot \text{Qua} + 0.445647 \cdot \text{Cost} + 0.434078 \cdot \text{Lead} + 0.48788 \cdot \text{Prod} + 0.446855 \cdot \text{InMi}$$

where the values of the variables in the equation are standardized by subtracting their means and dividing by their standard deviations.

## Principal Components Analysis of Business Performance

Data variables:

Profit  
Market  
CSatis

Data input: observations

Number of complete cases: 137

Missing value treatment: listwise

Standardized: yes

Number of components extracted: 3

### Principal Components Analysis

| <i>Component Number</i> | <i>Eigenvalue</i> | <i>Percent of Variance</i> | <i>Cumulative Percentage</i> |
|-------------------------|-------------------|----------------------------|------------------------------|
| 1                       | 2.33383           | 77.794                     | 77.794                       |
| 2                       | 0.436927          | 14.564                     | 92.359                       |
| 3                       | 0.229244          | 7.641                      | 100.000                      |

### The StatAdvisor

This procedure performs a principal components analysis. The purpose of the analysis is to obtain a small number of linear combinations of the 3 variables which account for most of the variability in the data. In this case, 3 components have been extracted, since 3 components had eigenvalues greater than or equal to 0.0. Together they account for 100.0% of the variability in the original data.

### Table of Component Weights

|        | <i>Component 1</i> | <i>Component 2</i> | <i>Component 3</i> |
|--------|--------------------|--------------------|--------------------|
| Profit | 0.604776           | -0.069262          | 0.793378           |
| Market | 0.568537           | -0.660059          | -0.491007          |
| CSatis | 0.557685           | 0.748014           | -0.35981           |

### The StatAdvisor


This table shows the equations of the principal components. For example, the first principal component has the equation

$$0.604776 * \text{Profit} + 0.568537 * \text{Market} + 0.557685 * \text{CSatis}$$


where the values of the variables in the equation are standardized by subtracting their means and dividing by their standard deviations.

## Appendix L: Standardized Residual Scatterplots


MF on MP measures




## MF on BP measures



## MP on BP measures





UUM  
Universiti Utara Malaysia



## Appendix M: Regression Analysis for Mediation Test

### Regression - MF on MP

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered  | Variables Removed | Method |
|-------|--------------------|-------------------|--------|
| 1     | PCAMF <sup>b</sup> | .                 | Enter  |

a. Dependent Variable: PCAMP

b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .788 <sup>a</sup> | .621     | .618              | .7896442                   |

a. Predictors: (Constant), PCAMF

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F       | Sig.              |
|-------|------------|----------------|-----|-------------|---------|-------------------|
| 1     | Regression | 137.963        | 1   | 137.963     | 221.259 | .000 <sup>b</sup> |
|       | Residual   | 84.178         | 135 | .624        |         |                   |
|       | Total      | 222.141        | 136 |             |         |                   |

a. Dependent Variable: PCAMP

b. Predictors: (Constant), PCAMF

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | 2.953                       | .460       |                           | 6.426  | .000 |
|       | PCAMF      | .607                        | .041       | .788                      | 14.875 | .000 |

a. Dependent Variable: PCAMP

## Regression – MF and MP on BP

**Variables Entered/Removed<sup>a</sup>**

| Model | Variables Entered         | Variables Removed | Method |
|-------|---------------------------|-------------------|--------|
| 1     | PCAMP, PCAMF <sup>b</sup> | .                 | Enter  |

- a. Dependent Variable: PCABP  
b. All requested variables entered.

**Model Summary**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1     | .883 <sup>a</sup> | .781     | .777              | .5549226                   |

- a. Predictors: (Constant), PCAMP, PCAMF

**ANOVA<sup>a</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F       | Sig.              |
|-------|------------|----------------|-----|-------------|---------|-------------------|
| 1     | Regression | 146.743        | 2   | 73.371      | 238.266 | .000 <sup>b</sup> |
|       | Residual   | 41.264         | 134 | .308        |         |                   |
|       | Total      | 188.007        | 136 |             |         |                   |

- a. Dependent Variable: PCABP  
b. Predictors: (Constant), PCAMP, PCAMF

**Coefficients<sup>a</sup>**

| Model |            | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. |
|-------|------------|-----------------------------|------------|---------------------------|--------|------|
|       |            | B                           | Std. Error | Beta                      |        |      |
| 1     | (Constant) | -.654                       | .369       |                           | -1.772 | .079 |
|       | PCAMF      | .181                        | .047       | .256                      | 3.888  | .000 |
|       | PCAMP      | .614                        | .060       | .668                      | 10.159 | .000 |

- a. Dependent Variable: PCABP

## Appendix N: PROCESS Results with Standardized Beta Weight

Run MATRIX procedure:

\*\*\*\*\* PROCESS Procedure for SPSS Release 2.13.2 \*\*\*\*\*

Written by Andrew F. Hayes, Ph.D. [www.afhayes.com](http://www.afhayes.com)  
Documentation available in Hayes (2013). [www.guilford.com/p/hayes3](http://www.guilford.com/p/hayes3)

\*\*\*\*\*

Model = 4  
Y = StdBP  
X = StdMF  
M = StdMP

Sample size  
137

\*\*\*\*\*

Outcome: StdMP

Model Summary

| R     | R-sq  | MSE   | F        | df1    | df2      | p     |
|-------|-------|-------|----------|--------|----------|-------|
| .7881 | .6211 | .3817 | 221.2585 | 1.0000 | 135.0000 | .0000 |

Model

|          | coeff | se    | t       | p      | LLCI   | ULCI  |
|----------|-------|-------|---------|--------|--------|-------|
| constant | .0000 | .0528 | .0000   | 1.0000 | -.1044 | .1044 |
| StdMF    | .7881 | .0530 | 14.8748 | .0000  | .6833  | .8929 |

\*\*\*\*\*

Outcome: StdBP

Model Summary

| R     | R-sq  | MSE   | F        | df1    | df2      | p     |
|-------|-------|-------|----------|--------|----------|-------|
| .8835 | .7805 | .2228 | 238.2662 | 2.0000 | 134.0000 | .0000 |

Model

|          | coeff | se    | t       | p      | LLCI   | ULCI  |
|----------|-------|-------|---------|--------|--------|-------|
| constant | .0000 | .0403 | .0000   | 1.0000 | -.0798 | .0798 |
| StdMP    | .6679 | .0657 | 10.1592 | .0000  | .5379  | .7979 |
| StdMF    | .2556 | .0657 | 3.8877  | .0002  | .1256  | .3856 |

\*\*\*\*\* TOTAL EFFECT MODEL \*\*\*\*\*

Outcome: StdBP

Model Summary

| R     | R-sq  | MSE   | F        | df1    | df2      | p     |
|-------|-------|-------|----------|--------|----------|-------|
| .7820 | .6115 | .3914 | 212.4632 | 1.0000 | 135.0000 | .0000 |

Model

|          | coeff | se    | t       | p      | LLCI   | ULCI  |
|----------|-------|-------|---------|--------|--------|-------|
| constant | .0000 | .0535 | .0000   | 1.0000 | -.1057 | .1057 |
| StdMF    | .7820 | .0536 | 14.5761 | .0000  | .6759  | .8881 |

\*\*\*\*\* TOTAL, DIRECT, AND INDIRECT EFFECTS \*\*\*\*\*

Total effect of X on Y

| Effect | SE    | t       | p     | LLCI  | ULCI  |
|--------|-------|---------|-------|-------|-------|
| .7820  | .0536 | 14.5761 | .0000 | .6759 | .8881 |

Direct effect of X on Y

| Effect | SE    | t      | p     | LLCI  | ULCI  |
|--------|-------|--------|-------|-------|-------|
| .2556  | .0657 | 3.8877 | .0002 | .1256 | .3856 |

Indirect effect of X on Y

|       | Effect | Boot SE | BootLLCI | BootULCI |
|-------|--------|---------|----------|----------|
| StdMP | .5264  | .0493   | .4327    | .6225    |

\*\*\*\*\* ANALYSIS NOTES AND WARNINGS \*\*\*\*\*

Number of bootstrap samples for bias corrected bootstrap confidence intervals:

5000

Level of confidence for all confidence intervals in output:

95.00

----- END MATRIX -----



**UUM**  
Universiti Utara Malaysia